

# LEARN HTML & CSS

*QuickStart Guide*  *Learn more about HTML and CSS!*

<b>HTML Basic Concepts &amp; Definitions</b>	<b>6</b>
1. What does HTML stand for?	6
2. Which of the following is NOT a semantic element in HTML5?	6
3. What is the purpose of the lang attribute in an HTML5 document?	7
4. What does the viewport meta tag do in HTML5?	7
<b>HTML5 Elements and Tags</b>	<b>8</b>
1. Footer for a Document or Section: <footer>	8
2. Drawing Graphics (via JavaScript): <canvas>	8
3. Navigation Links: <nav>	8
4. Playing Audio Files: <audio>	9
5. Thematic Break: <hr>	9
6. Introductory or Navigational Aids: <header>	9
7. Independent, Self-Contained Content: <article>	10
8. Section Linking to Other Documents: <section>	10
9. List of Commands: <menu>	10
10. Container for External Applications/Content: <embed> or <object>	10
11. Header for a Document or Section: <header>	11
12. Tangentially Related Content (Sidebar): <aside>	11
13. Unordered List: <ul>	11
14. Section in a Document: <section>	12
15. Introductory Content or Navigational Links: <header>	12
16. Independent Self-Contained Content: <article>	12
17. Group of Media Content: <source>	13
18. Quoted Block of Text: <blockquote>	13
<b>HTML5 Form Elements and Attributes</b>	<b>13</b>
1. Invalid <input> Type in HTML5	13
2. Purpose of the <datalist> Element in HTML5	14

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

3. Function of the pattern Attribute in an HTML5 Input Field	14
4. Role of the placeholder Attribute in an Input Field	14
5. Purpose of the maxlength Attribute in an <input> Element	15
6. Function of the form Attribute of the <button> Element in HTML5	15
7. Function of the placeholder Attribute in HTML5 Input Elements	15
8. Purpose of the formaction Attribute in an <input type="submit"> Element	15
9. Function of the nowrap Attribute in a <td> Element in HTML5	16
<b>HTML5 Media and Graphics</b>	<b>16</b>
1. Embedding Video Files with the <video> Element	16
2. Drawing Graphics with the <canvas> Element	17
3. Embedding Audio Files with the <audio> Element	17
4. Using Scalable Vector Graphics (SVG)	18
5. Embedding External Media with the <embed> and <object> Elements	18
<b>Advanced HTML5 Features</b>	<b>19</b>
1. async Attribute in a <script> Tag	19
2. Purpose of the <output> Element	19
3. Purpose of the <article> Element	20
4. Required Attribute for Input Fields	20
5. ContentEditable Attribute	20
6. Purpose of the <figure> Element	20
7. defer Attribute in a <script> Tag	21
8. kind Attribute of the <track> Element	21
9. cols Attribute of the <textarea> Element	21
10. Role of the alt Attribute for Images	22
11. download Attribute in the <a> Tag	22
12. Purpose of the <figcaption> Element	22
13. Default Value of the type Attribute for a <button> Element	22
14. Element for Displaying the Result of a Calculation	23
15. Specifying Character Encoding with charset Attribute	23
16. Caption for a Figure Element	23
17. Indicating a New Article Element	23
18. Specifying Metadata with <meta> Element	23
19. Control for Generating a Public-Private Key Pair	24
20. href Attribute in the <a> Tag	24
21. Marking Up a Time-Stamp	24
22. Purpose of the autofocus Attribute	24

23. Specifying an Ordered List	25
24. Defining Emphasized Text	25
25. disabled Attribute in HTML5	25
26. Representing a Scalar Value within a Range	25
27. multiple Attribute in an <input> Element	25
<b>HTML Quiz Questions</b>	<b>26</b>
<b>CSS Tip and Basics:</b>	<b>62</b>
1. What does CSS stand for?	62
2. HTML Tag for Defining an Internal Style Sheet:	62
3. Selecting an Element with ID "demo" in CSS:	63
4. Selecting Elements with Class Name "example":	63
5. Capitalizing Each Word in a Text:	63
6. Changing the Background Color:	63
7. Changing the Font of an Element:	64
8. Making a List with Square Items:	64
9. Selecting All <p> Elements Inside a <div>:	64
10. Understanding the Given CSS Code:	64
<b>Text Styling and Formatting in CSS: Detailed Guide with Examples</b>	<b>65</b>
1. CSS Property for Text Size:	65
2. Displaying Hyperlinks Without Underline:	65
3. Changing Left Margin of an Element:	65
4. Making Text Bold:	65
5. Setting Spacing Between Words:	66
6. Changing the Font Name:	66
7. Making a Border Visible on All Sides of a Box:	66
8. Changing Font Color of an Element:	66
9. Default Value of the Position Property:	66
10. Creating a Circle Shape in CSS:	67
11. Applying CSS Style for a Component with Two Specific Classes:	67
<b>Selectors and Specificity in CSS: A Comprehensive Guide with Examples</b>	<b>67</b>
1. Setting Background Image of an Element:	67
2. Displaying List Items Inline:	68
3. Controlling Layout and Formatting of <fieldset> Element:	68
4. Creating Rounded Corners Using CSS:	68
5. Selecting All <p> Elements with a <div> Parent:	69
6. Adding Shadow to Elements:	69

7. Meaning of h1 + p in CSS:	69
8. Specifying Space Between Cells in a Table:	69
9. Setting Opacity of an Element:	70
10. Purpose of the z-index Property:	70
<b>Layout and Positioning in CSS: Detailed Insights with Examples</b>	<b>70</b>
1. Function of the CSS Display Property:	70
2. Selecting All Child <p> Elements of a <div>:	71
3. Invalid CSS Unit:	71
4. Purpose of the Overflow Property in CSS:	71
5. Difference Between visibility and display:	71
6. Changing Cursor Type on Hover:	72
7. Using :nth-child() Pseudo-Class in CSS:	72
8. Default Position Value in CSS:	72
9. Adding a Comment in a CSS File:	72
<b>Box Model, Borders, and Layout in CSS: In-Depth Explorations</b>	<b>73</b>
1. Creating Space Around Elements (Outside Borders):	73
2. The Flex Property in CSS Flexbox Layout:	73
3. Purpose of the Clear Property in CSS:	73
4. Controlling Text Wrapping in CSS:	73
5. Creating a Numbered List:	74
6. Moving Content Away from Borders:	74
7. Default Display Value for Most Elements:	74
8. Function of the :after Pseudo-Element:	74
9. Selecting Every <p> Element Whose Parent is Not a <div>:	75
10. Changing Style of the Bottom Border:	75
11. Effect of position: relative; in CSS:	75
<b>Transformations and Animations in CSS: Essential Techniques and Examples</b>	<b>75</b>
1. Changing Color of an Element on Mouse Hover:	76
2. Creating a Drop Shadow Effect:	76
3. Controlling Space Between Letters:	76
4. Changing Order of Flex Items:	76
5. Center Aligning Text Horizontally:	77
6. Adding a Border to an Element:	77
7. Making Font Italic:	77
8. Creating Rounded Corners with Specific Radius:	77
9. Making Text Bold:	78

<b>Spacing and Alignment in CSS: Detailed Guide with Examples</b>	<b>78</b>
1. Specifying Space Between Lines of Text:	78
2. Applying Styles to the First Letter of a Text Element:	78
3. Transforming Text to Uppercase:	78
4. Purpose of the rgba() Color Format:	79
5. Controlling Width of an Element's Border:	79
6. Changing Background Color on Mouse Hover:	79
7. Specifying List Item Markers:	79
8. Purpose of the CSS Overflow-x Property:	80
9. Selecting All Even Rows of a Table:	80
10. Purpose of text-decoration: underline;:	80
<b>Pseudo-Classes and Elements in CSS: A Comprehensive Exploration</b>	<b>80</b>
1. Changing Color of Visited Links:	81
2. Applying Styles to Every Second Element:	81
3. Controlling Order of Columns in CSS Grid:	81
4. The display: inline-block; Property:	81
5. Selecting the First Child of a Specific Element Type:	82
6. Purpose of text-align: center;:	82
7. Control by background-repeat Property:	82
8. Controlling Space Between Columns in CSS Grid:	82
9. Controlling Order of Items in Flexbox:	83
10. Creating a CSS Class for Elements with a Specific Attribute:	83
<b>Other Styling and Effects in CSS: Detailed Explanations and Examples</b>	<b>83</b>
1. flex-direction in Flexbox Layout:	83
2. Purpose of white-space: nowrap;:	84
3. Applying Styles on Hover of Parent Element:	84
4. Spacing Between Characters:	84
5. Vertical Text Alignment:	84
6. Selecting the Last Child of a Specific Element Type:	85
7. cursor: pointer; Property:	85
8. Purpose of text-overflow: ellipsis;:	85
9. Specifying Style of an Element's Border:	85
10. font-family Property:	85
11. Controlling Transparency:	86
12. Selecting Elements with a Specific Class:	86
13. box-sizing: border-box; Property:	86

14. Selecting Links Within a Specific Section:	86
15. Creating a Shadow Behind an Element's Border:	87
16. Selecting the Last Element of a Specific Type:	87
17. Creating a Rotating Animation:	87
18. text-decoration: none; Property:	87
19. Selecting the First Element of a Specific Type:	88
20. Controlling Spacing Between Lines of Text:	88
<b>CSS Quiz Questions</b>	<b>88</b>

## HTML Basic Concepts & Definitions

### 1. What does HTML stand for?

HTML stands for HyperText Markup Language. It is the standard markup language used for creating web pages and web applications.

- HyperText: Refers to links that connect web pages to one another, either within a single website or between websites.
- Markup Language: A way of coding a document that, along with the text, incorporates tags to define elements.

Example:

```
<head>
  <title>Page Title</title>
</head>
<body>
  <h1>This is a Heading</h1>
  <p>This is a paragraph.</p>
</body>
```

### 2. Which of the following is NOT a semantic element in HTML5?

Semantic elements in HTML5 are those that clearly describe their meaning to both the browser and the developer. Examples include `<form>`, `<table>`, and `<article>`. Non-semantic elements, like `<div>` and `<span>`, do not tell anything about their content.

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

- Semantic Elements: <header>, <footer>, <article>, etc.
- Non-Semantic Elements: <div>, <span>, etc.

Tip: Use semantic elements for better readability and accessibility. They help screen readers and search engines to better understand the content of your website.

### 3. What is the purpose of the lang attribute in an HTML5 document?

The lang attribute specifies the primary language of the document's content. It's crucial for accessibility, as screen readers use this attribute to provide correct pronunciation. It also helps search engines return language-specific results.

Example:

```
<head>
  <title>Document Title</title>
</head>
<body>
  <p>This document is in English.</p>
</body>
```

In this example, lang="en" indicates that the document is in English.

Tip: Always set the lang attribute in your HTML document for better accessibility and SEO.

### 4. What does the viewport meta tag do in HTML5?

The viewport meta tag is used to control the layout on mobile browsers. Without it, mobile devices will render pages at typical desktop screen widths, and then scale the pages down, making them difficult to read.

Example:

```
<meta name="viewport" content="width=device-width, initial-scale=1.0">
```

This viewport tag sets the width of the page to follow the screen-width of the device (which varies depending on the device), and sets the initial zoom level when the page is first loaded by the browser.

Tip: Always use the viewport meta tag in an HTML5 document to ensure your site is mobile-friendly.

## HTML5 Elements and Tags

### 1. Footer for a Document or Section: `<footer>`

The `<footer>` element specifies a footer for a document or section. It often contains authorship information, contact information, copyrights, and links to related documents.

Example:

```
<footer>
  <p>Copyright © 2021 Company Name</p>
</footer>
```

### 2. Drawing Graphics (via JavaScript): `<canvas>`

The `<canvas>` element is used to draw graphics on a web page, typically via JavaScript.

Example:

```
<canvas id="myCanvas"></canvas>
<script>
  var canvas = document.getElementById('myCanvas');
  var ctx = canvas.getContext('2d');
  ctx.fillStyle = 'green';
  ctx.fillRect(10, 10, 100, 100);
</script>
```

### 3. Navigation Links: `<nav>`

The `<nav>` element is used to define a set of navigation links.



Example:

```
<nav>
  <a href="/">Home</a> |
  <a href="/about">About</a> |
  <a href="/contact">Contact</a>
</nav>
```

#### 4. Playing Audio Files: <audio>

The <audio> element is used to embed sound content (audio files) in documents.

Example:

```
<audio controls>
  <source src="audiofile.mp3" type="audio/mpeg">
  Your browser does not support the audio tag.
</audio>
```

#### 5. Thematic Break: <hr>

The <hr> element represents a thematic break between paragraph-level elements, like a scene change in a story or a shift of topic.

Example:

```
<p>First topic...</p>
<hr>
<p>Second topic...</p>
```

#### 6. Introductory or Navigational Aids: <header>

The <header> element represents a container for introductory content or navigational links.

Example:

```
<header>
  <h1>Website Title</h1>
  <p>Welcome to my website</p>
```

</header>

## 7. Independent, Self-Contained Content: <article>

The <article> element holds content that makes sense on its own and can be independently distributed or reused (e.g., a forum post, magazine or newspaper article).

Example:

```
<article>
  <h2>Article Title</h2>
  <p>Article content...</p>
</article>
```

## 8. Section Linking to Other Documents: <section>

The <section> element defines a section in a document, often used for chapters, headers, footers, or any other sections of the document.

Example:

```
<section id="chapter1">
  <h2>Chapter 1: Introduction</h2>
  <p>Chapter content...</p>
</section>
```

## 9. List of Commands: <menu>

The <menu> element represents a list of commands or options.

Example:

```
<menu type="toolbar">
  <li><button type="button">Home</button></li>
  <li><button type="button">Products</button></li>
</menu>
```

## 10. Container for External Applications/Content: <embed> or <object>

The <embed> or <object> elements are used to embed external applications or interactive content.

Example:

```
<embed src="file.swf" width="500" height="300">
<!-- or -->
<object data="movie.swf" width="500" height="300"></object>
```

### **11. Header for a Document or Section: <header>**

The <header> element represents a container for introductory content or a set of navigational links.

Example:

```
<header>
  <h1>Welcome to My Blog</h1>
  <p>Your source for news and articles.</p>
</header>
```

### **12. Tangentially Related Content (Sidebar): <aside>**

The <aside> element is used for content that is tangentially related to the content around it, often used for sidebars.

Example:

```
<aside>
  <h2>Related Articles</h2>
  <ul>
    <li>Article 1</li>
    <li>Article 2</li>
  </ul>
</aside>
```

### **13. Unordered List: <ul>**

The <ul> (unordered list) element represents a list of items where the order of the items is not important.

Example:

```
<ul>
```

```
</li>Item 1</li>
</li>Item 2</li>
</li>Item 3</li>
</ul>
```

#### **14. Section in a Document: <section>**

The <section> element is used to define a specific section within a document.

Example:

```
<section>
  <h2>About Us</h2>
  <p>Information about the company...</p>
</section>
```

#### **15. Introductory Content or Navigational Links: <header>**

The <header> element is used for introductory content or navigational links within a website.

Example:

```
<header>
  <h1>My Website</h1>
  <nav>
    <a href="/">Home</a> |
    <a href="/about">About</a>
  </nav>
</header>
```

#### **16. Independent Self-Contained Content: <article>**

The <article> element is used for self-contained content, such as a blog post or news article.

Example:

```
<article>
  <h2>Blog Post Title</h2>
```

```
<p>Blog post content...</p>
</article>
```

### 17. Group of Media Content: `<source>`

The `<source>` element is used with `<audio>` or `<video>` elements to specify multiple media sources.

Example:

```
<video controls>
  <source src="movie.mp4" type="video/mp4">
  <source src="movie.ogg" type="video/ogg">
  Your browser does not support the video tag.
</video>
```

### 18. Quoted Block of Text: `<blockquote>`

The `<blockquote>` element is used to define a block of text that has been quoted from another source.

Example:

```
<blockquote cite="http://source.com">
  <p>This is a quoted text from a source.</p>
</blockquote>
```

These HTML5 elements and tags are essential for structuring and enriching web content, ensuring it is semantically meaningful and accessible. They play a crucial role in the overall design and functionality of web pages.

## HTML5 Form Elements and Attributes

### 1. Invalid `<input>` Type in HTML5

In HTML5, types like text, number, email, and date are valid for `<input>`. An invalid type would be something that is not recognized by HTML5 standards, such as slider.

Example:

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

```
<!-- Valid input type -->
<input type="text" name="name">
<!-- Invalid input type -->
<input type="slider" name="slider">
```

## 2. Purpose of the <datalist> Element in HTML5

The <datalist> element provides a list of pre-defined options to an <input> element. It is useful for suggesting possible values for a text input, thus aiding in auto-completion.

Example:

```
<input list="browsers" name="browser">
<datalist id="browsers">
  <option value="Chrome">
  <option value="Firefox">
  <option value="Safari">
  <option value="Edge">
</datalist>
```

## 3. Function of the pattern Attribute in an HTML5 Input Field

The pattern attribute specifies a regular expression that the input element's value is checked against. It is used for validating the form data.

Example:

```
<!-- pattern for a simple email format -->
<input type="text" name="email"
pattern="[a-z0-9._%+-]+@[a-z0-9.-]+\.[a-z]{2,}$" title="Enter a valid email
address">
```

## 4. Role of the placeholder Attribute in an Input Field

The placeholder attribute provides a short hint that describes the expected value of an input field. It is displayed inside the input field before the user enters a value.

Example:

```
<input type="text" name="name" placeholder="Enter your name">
```

## 5. Purpose of the maxlength Attribute in an <input> Element

The maxlength attribute specifies the maximum number of characters allowed in an input field.

Example:

```
<!-- Accepts up to 10 characters -->  
<input type="text" name="username" maxlength="10">
```

## 6. Function of the form Attribute of the <button> Element in HTML5

The form attribute of the <button> element specifies the ID of the form the button belongs to, allowing the button to be associated with a form even if it is not inside the form element.

Example:

```
<form id="loginForm">  
  <!-- form content -->  
</form>  
<button form="loginForm" type="submit">Submit</button>
```

## 7. Function of the placeholder Attribute in HTML5 Input Elements

The placeholder attribute in HTML5 input elements shows a hint or guide text inside the input field before the user enters a value. It's used to give users an example of what the input should look like.

Example:

```
<input type="email" placeholder="example@domain.com">
```

## 8. Purpose of the formaction Attribute in an <input type="submit"> Element

The formaction attribute in an <input type="submit"> element overrides the action attribute of the form it belongs to. It specifies a different URL to which the form's data will be sent when this submit button is pressed.

Example:

```
<form action="/default-action">  
  <input type="submit" value="Submit to Default">  
  <input type="submit" formaction="/different-action" value="Submit to  
Different">  
</form>
```

## 9. Function of the nowrap Attribute in a <td> Element in HTML5

The nowrap attribute in a <td> element prevents the text inside the table cell from wrapping. This attribute is not part of HTML5 (it's obsolete) and should be avoided in favor of CSS for such styling.

Example:

```
<td style="white-space: nowrap;">This text will not wrap.</td>
```

Note: For nowrap, it's recommended to use CSS (white-space: nowrap;) rather than the HTML attribute.

# HTML5 Media and Graphics

## 1. Embedding Video Files with the <video> Element

The <video> element in HTML5 is used to embed video files in a web page, offering built-in controls for playback.

Example:

```
<video width="320" height="240" controls>  
  <source src="movie.mp4" type="video/mp4">  
  <source src="movie.ogg" type="video/ogg">  
  Your browser does not support the video tag.  
</video>
```

Tips:

- Always include multiple source files for cross-browser compatibility.

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>



- Add a text message inside the <video> tag for browsers that do not support it.

## 2. Drawing Graphics with the <canvas> Element

The <canvas> element is used for drawing graphics on the fly via scripting (usually JavaScript). It's particularly useful for rendering graphs, game graphics, or other visual images dynamically.

Example:

```
<canvas id="myCanvas" width="200" height="100" style="border:1px solid #000;">
</canvas>
<script>
var c = document.getElementById("myCanvas");
var ctx = c.getContext("2d");
ctx.fillStyle = "blue";
ctx.fillRect(0, 0, 200, 100);
</script>
```

Tips:

- The <canvas> element itself is just a container. You need to use JavaScript to actually draw the graphics.
- Set a fallback message for browsers that don't support <canvas>.

## 3. Embedding Audio Files with the <audio> Element

The <audio> element allows you to embed audio files that users can play directly on the website. Like the <video> tag, it supports multiple sources and includes built-in controls.

Example:

```
<audio controls>
<source src="sound.mp3" type="audio/mpeg">
<source src="sound.ogg" type="audio/ogg">
Your browser does not support the audio element.
</audio>
```

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

Tips:

- Provide multiple audio formats to ensure compatibility with different browsers.
- Include a message for browsers that don't support the <audio> element.

#### 4. Using Scalable Vector Graphics (SVG)

SVG is an XML-based markup language for describing two-dimensional vector graphics. SVG is used for icons, logos, and complex drawings. Being vector graphics, SVG images are scalable without loss of resolution.

Example:

```
<svg width="100" height="100">  
  <circle cx="50" cy="50" r="40" stroke="green" stroke-width="4" fill="yellow"  
/>  
</svg>
```

Tips:

- SVG is great for high-quality graphics that need to scale for different device sizes.
- You can style SVG elements with CSS and make them interactive with JavaScript.

#### 5. Embedding External Media with the <embed> and <object> Elements

The <embed> and <object> elements are used to embed external applications and interactive content, like Flash animations or PDF readers.

Example of <embed>:

```
<embed src="file.swf" width="400" height="50">
```

Example of <object>:

```
<object data="file.swf" width="400" height="50">
```

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

```
<embed src="file.swf" width="400" height="50">
</object>
```

Tips:

- Use <embed> for external multimedia like videos, images, or audio.
- The <object> tag can also be used for embedding multimedia, and it's more versatile.

## Advanced HTML5 Features

### 1. async Attribute in a <script> Tag

The async attribute is used in a <script> tag to load the script asynchronously with the rest of the page. This means the script will be executed as soon as it's downloaded, without blocking HTML parsing.

Example:

```
<script async src="script.js"></script>
```

Tips:

- Use async for scripts that don't depend on other scripts.
- It helps improve the loading performance of web pages.

### 2. Purpose of the <output> Element

The <output> element is used to represent the result of a calculation or user action.

Example:

```
<form oninput="result.value=parseInt(a.value)+parseInt(b.value)">
  <input type="range" id="a" value="50">+
  <input type="number" id="b" value="50">
  <output name="result" for="a b">100</output>
</form>
```

### 3. Purpose of the <article> Element

The <article> element represents a self-contained composition in a document, page, or site, which is intended to be independently distributable or reusable.

Example:

```
<article>
  <h2>Article Heading</h2>
  <p>Article content...</p>
</article>
```

Tips:

- Use it for blog posts, news articles, user comments, or other items of independent content.

### 4. Required Attribute for Input Fields

The required attribute is used to specify that an input field must be filled out before submitting the form.

Example:

```
<input type="text" name="name" required>
```

### 5. ContentEditable Attribute

The contenteditable attribute specifies whether the content of an element is editable or not.

Example:

```
<div contenteditable="true">You can edit this text.</div>
```

### 6. Purpose of the <figure> Element

The <figure> element represents self-contained content, often with an optional caption, which is specified using <figcaption>.

Example:

```
<figure>
  
  <figcaption>Caption for the image.</figcaption>
</figure>
```

## 7. defer Attribute in a <script> Tag

The defer attribute delays the execution of a script until after the document has been parsed.

Example:

```
<script defer src="script.js"></script>
```

Tips:

- Use defer for scripts that need the DOM to be fully parsed.

## 8. kind Attribute of the <track> Element

The kind attribute in the <track> element specifies the kind of text track (subtitles, captions, descriptions, chapters, or metadata).

Example:

```
<video controls>
  <source src="movie.mp4" type="video/mp4">
  <track src="subtitles_en.vtt" kind="subtitles" srclang="en" label="English">
</video>
```

## 9. cols Attribute of the <textarea> Element

The cols attribute specifies the visible width of a text control (in average character widths).

Example:

```
<textarea name="message" rows="10" cols="30"></textarea>
```

## 10. Role of the alt Attribute for Images

The alt attribute provides alternative text for an image if it cannot be displayed.

Example:

```

```

Tips:

- Always use the alt attribute to improve accessibility.

### 11. download Attribute in the <a> Tag

The download attribute in the <a> tag suggests that the link is to be downloaded rather than navigated to.

Example:

```
<a href="path/to/file" download>Download File</a>
```

### 12. Purpose of the <figcaption> Element

The <figcaption> element represents a caption or legend for the rest of the contents of its parent <figure> element.

Example:

```
<figure>  
  
<figcaption>Caption goes here.</figcaption>  
</figure>
```

### 13. Default Value of the type Attribute for a <button> Element

The default value of the type attribute for a <button> element is submit.

Example:

```
<button type="button">Click Me!</button> <!-- Not a submit button -->
```

### 14. Element for Displaying the Result of a Calculation

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

The <output> element is used for displaying the result of a calculation.

Example:

```
<output name="result"></output>
```

### **15. Specifying Character Encoding with charset Attribute**

The charset attribute in a <meta> tag specifies the character encoding for the HTML document.

Example:

```
<meta charset="UTF-8">
```

### **16. Caption for a Figure Element**

The <figcaption> element is used to define a caption for a <figure> element.

Example:

```
<figure>  
  
<figcaption>This is a caption.</figcaption>  
</figure>
```

### **17. Indicating a New Article Element**

The <article> element is used to indicate a new article element.

Example:

```
<article>  
<h2>New Article</h2>  
<p>Content of the new article...</p>  
</article>
```

### **18. Specifying Metadata with <meta> Element**

The <meta> element is used to specify metadata about the HTML document that is not represented by other HTML elements.

Example:

```
<meta name="description" content="Description of the page">
```

### **19. Control for Generating a Public-Private Key Pair**

The <keygen> element (deprecated and should be avoided) was used to represent a control for generating a public-private key pair.

Example:

```
<keygen name="key" challenge="challenge string">
```

Note: It's recommended to use more modern and secure methods for key generation.

### **20. href Attribute in the <a> Tag**

The href attribute in the <a> tag specifies the URL of the page the link goes to.

Example:

```
<a href="https://www.example.com">Visit Example.com</a>
```

### **21. Marking Up a Time-Stamp**

The <time> element is best suited for marking up a time-stamp in HTML5.

Example:

```
<time datetime="2020-01-01">January 1, 2020</time>
```

### **22. Purpose of the autofocus Attribute**

The autofocus attribute is used in HTML5 to specify that an element should automatically get focus when the page loads.

Example:

```
<input type="text" autofocus>
```



### 23. Specifying an Ordered List

The `<ol>` tag is used to specify an ordered list in HTML5.

Example:

```
<ol>
  <li>First item</li>
  <li>Second item</li>
</ol>
```

### 24. Defining Emphasized Text

The `<em>` element is used in HTML5 to define emphasized text.

Example:

```
<p>This is <em>emphasized</em> text.</p>
```

### 25. disabled Attribute in HTML5

The disabled attribute is used to specify that an input element should be disabled.

Example:

```
<input type="text" disabled>
```

### 26. Representing a Scalar Value within a Range

The `<input type="range">` element is used to represent a scalar value within a known range, such as a volume control.

Example:

```
<input type="range" min="1" max="10">
```

### 27. multiple Attribute in an `<input>` Element

The multiple attribute in an `<input>` element allows the user to select or enter more than one value.

Example:

<input type="file" multiple>

## HTML Quiz Questions

Question 1: What does HTML stand for?

1. HyperText Markup Language
2. HyperTech More Language
3. HighText Machine Language
4. None of the above

Answer: 1. HyperText Markup Language

Explanation: HTML stands for HyperText Markup Language. It is the standard markup language used for creating web pages and web applications. It structures the content on the web.

Question 2: Which of the following is a new element in HTML5?

1. <div>
2. <table>
3. <article>
4. <font>

Answer: 3. <article>

Explanation: <article> is a new element introduced in HTML5. It represents a self-contained composition in a document, page, application, or site, which is intended to be independently distributable or reusable.

Question 3: What is the purpose of the <canvas> element in HTML5?

1. To display database records
2. To draw graphics on the fly via scripting (like JavaScript)
3. To add a background canvas to web pages

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

4. To display 3D objects

Answer: 2. To draw graphics on the fly via scripting (like JavaScript)

Explanation: The `<canvas>` element in HTML5 is used to draw graphics on the fly via scripting languages such as JavaScript. It can be used to draw graphs, make photo compositions, create animations, or even do real-time video processing or rendering.

Question 4: Which HTML5 element is used to specify a footer for a document or section?

1. `<bottom>`
2. `<footer>`
3. `<section>`
4. `<div>`

Answer: 2. `<footer>`

Explanation: The `<footer>` element in HTML5 is used to define a footer for a document or a section. It typically contains authorship information, contact information, copyright notices, and related documents.

Question 5: What is the correct HTML5 element for playing video files?

1. `<media>`
2. `<video>`
3. `<film>`
4. `<mp4>`

Answer: 2. `<video>`

Explanation: The `<video>` element is used in HTML5 for embedding video content in a document. It can be used to play various video file formats. Attributes like `src`, `controls`, `width`, and `height` are often used with the `<video>` element.

Question 6: Which of the following is NOT a valid type for <input> in HTML5?

1. email
2. date
3. slider
4. color

Answer: 3. slider

Explanation: In HTML5, slider is not a valid type attribute value for <input>. The correct type for a slider is range.

Question 7: Which HTML5 element is used for drawing graphics, typically via JavaScript?

1. <graphics>
2. <canvas>
3. <svg>
4. <draw>

Answer: 2. <canvas>

Explanation: The <canvas> element is used in HTML5 for drawing graphics, usually with JavaScript. It allows for dynamic, scriptable rendering of 2D shapes and bitmap images.

Question 8: What does the async attribute in a <script> tag do?

1. It stops the script until the page has finished parsing
2. It runs the script asynchronously as soon as it is available
3. It defers the script to run after the page has finished parsing
4. It checks for syntax errors in the script

Answer: 2. It runs the script asynchronously as soon as it is available

Explanation: The `async` attribute in a `<script>` tag allows the script to be executed asynchronously as soon as it is available, without waiting for the entire page to be loaded.

Question 9: Which element is used in HTML5 to specify navigation links?

1. `<nav>`
2. `<navigation>`
3. `<links>`
4. `<navigate>`

Answer: 1. `<nav>`

Explanation: The `<nav>` element is used in HTML5 to define a section of navigation links.

Question 10: What is the purpose of the `<aside>` element in HTML5?

1. To represent a section of the page with content connected indirectly to the main content
2. To create sidebars for advertising
3. To denote additional items that the user might need
4. To highlight text

Answer: 1. To represent a section of the page with content connected indirectly to the main content

Explanation: The `<aside>` element is used in HTML5 to represent a section of a page that consists of content tangentially related to the content around the `<aside>` element.

Question 11: What does the `figure` element in HTML5 represent?

1. A calculation or result
2. A unit of length
3. Self-contained content, like illustrations, diagrams, photos, code listings, etc.

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

4. A key figure in a text

Answer: 3. Self-contained content, like illustrations, diagrams, photos, code listings, etc.

Explanation: The figure element represents self-contained content, typically referenced as a single unit from the main flow of the document, such as illustrations, diagrams, photos, code listings, etc.

Question 12: How do you define a header for a section or page in HTML5?

1. <header>
2. <head>
3. <top>
4. <sectionhead>

Answer: 1. <header>

Explanation: The <header> element in HTML5 is used to define a header for a document or a section.

Question 13: What is the purpose of the datalist element in HTML5?

1. To store data offline
2. To provide a list of pre-defined options to an <input> element
3. To link to external data sources
4. To display a list of items in a table format

Answer: 2. To provide a list of pre-defined options to an <input> element

Explanation: The datalist element in HTML5 provides a list of pre-defined options for an <input> element, allowing for an auto-complete feature.

Question 14: Which HTML5 element is used to play audio files?

1. <sound>
2. <mp3>

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

3. <audio>
4. <music>

Answer: 3. <audio>

Explanation: The <audio> element is used in HTML5 to embed sound content in documents. It can be used to play audio files.

Question 15: What is the purpose of the output element in HTML5?

1. To display the output of a script
2. To export data to an external file
3. To define a section for user input
4. To store output data in a database

Answer: 1. To display the output of a script

Explanation: The output element is used to represent the result of a calculation or user action in HTML5.

Question 16: Which attribute is used to specify that an input field must be filled out before submitting the form?

1. required
2. mandatory
3. validate
4. essential

Answer: 1. required

Explanation: The required attribute is used to specify that an input field cannot be left empty and must be filled out before submitting the form.

Question 17: What is the purpose of the article element in HTML5?

1. To define a comment

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

2. To contain a magazine or newspaper article
3. To wrap an article about a particular subject
4. Both 2 and 3

Answer: 4. Both 2 and 3

Explanation: The article element represents a piece of self-contained content, such as a newspaper or magazine article, a blog entry, or a user comment.

Question 18: Which of the following is NOT a semantic element in HTML5?

1. <article>
2. <footer>
3. <div>
4. <section>

Answer: 3. <div>

Explanation: <div> is a generic container in HTML and is not considered a semantic element. Semantic elements like <article>, <footer>, and <section> clearly describe their meaning in a human- and machine-readable way.

Question 19: Which HTML5 element is used for marking up a thematic break in a page?

1. <break>
2. <line>
3. <hr>
4. <divider>

Answer: 3. <hr>

Explanation: The <hr> element represents a thematic break between paragraph-level elements (for example, a change of scene in a story, or a shift of topic within a section).



Question 20: Which attribute is used with the meta tag to define the character set of an HTML document?

1. charset
2. encoding
3. setchar
4. character

Answer: 1. charset

Explanation: The charset attribute in the <meta> tag specifies the character encoding for the HTML document.

Question 21: What does the placeholder attribute provide in an input field?

1. A default value that is submitted with the form
2. A hint to the user of what can be entered in the field
3. A label for the input field
4. Mandatory text that must be entered by the user

Answer: 2. A hint to the user of what can be entered in the field

Explanation: The placeholder attribute provides a short hint that describes the expected value of an input field.

Question 22: Which HTML5 element defines independent, self-contained content?

1. <section>
2. <article>
3. <aside>
4. <header>

Answer: 2. <article>

Explanation: An <article> element specifies independent, self-contained content that could potentially be distributed or reused.

Question 23: What is the correct HTML element for inserting a line break?

1. `<br>`
2. `<break>`
3. `<lb>`
4. `<line>`

Answer: 1. `<br>`

Explanation: The `<br>` tag is used in HTML to insert a line break in text.

Question 24: Which HTML5 element is used for specifying a group of introductory or navigational aids?

1. `<group>`
2. `<section>`
3. `<header>`
4. `<nav>`

Answer: 4. `<nav>`

Explanation: The `<nav>` element is used to define a set of navigation links in HTML5.

Question 25: What does the `srcset` attribute in the `<img>` element do?

1. Sets a source for the image
2. Defines multiple sizes of the same image
3. Provides a textual description of the image
4. Specifies the path to the image source

Answer: 2. Defines multiple sizes of the same image

Explanation: The `srcset` attribute in the `<img>` tag allows specifying different images to be displayed based on the screen size or resolution, enabling responsive image loading.

Question 26: Which attribute in the <a> tag specifies the URL of the page the link goes to?

1. href
2. src
3. link
4. url

Answer: 1. href

Explanation: The href attribute in the <a> (anchor) tag specifies the URL of the page the link goes to.

Question 27: What does the viewport meta tag do in HTML5?

1. Adjusts the visible area of the web page
2. Locks the orientation of the device
3. Controls the zoom level of the page
4. Sets the initial scale of the webpage

Answer: 1. Adjusts the visible area of the web page

Explanation: The viewport meta tag is used in HTML5 to control the layout on mobile browsers. By default, it adjusts the width of the page to the screen width of the device.

Question 28: Which element is used in HTML5 to represent a progress of a task?

1. <progress>
2. <meter>
3. <task>
4. <loading>

Answer: 1. <progress>

Explanation: The <progress> element represents the progress of a task in HTML5.

Question 29: What is the purpose of the autofocus attribute in HTML5?

1. Automatically focus on a form element when the page loads
2. Auto-validate form input
3. Automatically update content
4. Autofill form fields based on history

Answer: 1. Automatically focus on a form element when the page loads

Explanation: The autofocus attribute is a boolean attribute that lets you specify that a form input should automatically be focused when the page loads.

Question 30: Which HTML5 tag is used to specify an ordered list?

1. <ul>
2. <ol>
3. <list>
4. <dl>

Answer: 2. <ol>

Explanation: The <ol> tag is used to define an ordered list in HTML5.

Question 31: In HTML5, which element is used to define emphasized text?

1. <em>
2. <i>
3. <bold>
4. <strong>

Answer: 1. <em>

Explanation: The `<em>` tag is used to define emphasized text in HTML5, which typically displays as italicized text.

Question 32: What is the default value of the type attribute for a `<button>` element in HTML5?

1. button
2. submit
3. reset
4. menu

Answer: 2. submit

Explanation: The default value of the type attribute for a `<button>` element is submit.

Question 33: Which HTML5 element is best suited for marking up a time-stamp?

1. `<datetime>`
2. `<timestamp>`
3. `<time>`
4. `<date>`

Answer: 3. `<time>`

Explanation: The `<time>` element represents a specific period in time or a time-stamp in HTML5.

Question 34: What is the purpose of the placeholder attribute in HTML5?

1. To provide a hint to the user about what to enter in the field
2. To pre-fill the field with default data
3. To mark the field as a placeholder for future data
4. To display a tooltip when hovering over the field

Answer: 1. To provide a hint to the user about what to enter in the field

Explanation: The placeholder attribute provides a hint to the user about what information to enter in the input field.

Question 35: In HTML5, which element is used to group together thematic sections of content?

1. <group>
2. <section>
3. <block>
4. <divide>

Answer: 2. <section>

Explanation: The <section> element is used in HTML5 to group together thematic sections of content.

Question 36: What does the required attribute in an input field ensure in HTML5?

1. The field must be filled out before submitting the form
2. The input is necessary for the form's submission
3. The field will be validated against pattern requirements
4. Both 1 and 2

Answer: 4. Both 1 and 2

Explanation: The required attribute specifies that an input field must be filled out before submitting the form and is necessary for the form's submission.

Question 37: Which HTML5 element defines a caption for a figure element?

1. <figcaption>
2. <caption>
3. <title>
4. <headline>

Answer: 1. <figcaption>

Explanation: The <figcaption> element is used to define a caption for a figure element in HTML5.

Question 38: How is a new article element indicated in HTML5?

1. <new article>
2. <article new>
3. <article>
4. <newarticle>

Answer: 3. <article>

Explanation: The <article> element is used to indicate a new article element in HTML5.

Question 39: Which HTML5 element is used for specifying metadata about an HTML document?

1. <meta>
2. <data>
3. <info>
4. <metadata>

Answer: 1. <meta>

Explanation: The <meta> tag is used in HTML5 to specify metadata about an HTML document, such as character set, page description, keywords, author of the document, and viewport settings.

Question 40: What is the purpose of the lang attribute in an HTML5 document?

1. Specifies the programming language of the content
2. Defines the language used in the element
3. Indicates the language for spell checking

4. Determines the language for text-to-speech conversion

Answer: 2. Defines the language used in the element

Explanation: The lang attribute is used to define the language used in the element, which can be important for screen readers and other assistive technologies.

Question 41: Which element in HTML5 is used to represent a control for generating a public-private key pair?

1. <keygen>
2. <generator>
3. <publickey>
4. <keypair>

Answer: 1. <keygen>

Explanation: The <keygen> element represents a control for generating a key pair (a public key and a private key) in HTML5.

Question 42: In HTML5, which element is used for displaying the result of a calculation?

1. <calculate>
2. <result>
3. <output>
4. <return>

Answer: 3. <output>

Explanation: The <output> element is used in HTML5 for representing the result of a calculation.



Question 43: Which HTML5 element is used to specify a header for a document or section?

1. <header>
2. <top>
3. <heading>
4. <head>

Answer: 1. <header>

Explanation: The <header> element is used in HTML5 to represent a container for introductory content or a set of navigational links.

Question 44: Which attribute in HTML5 specifies the character encoding for the HTML document?

1. charset
2. encoding
3. character
4. setchar

Answer: 1. charset

Explanation: The charset attribute in the <meta> tag specifies the character encoding for the HTML document.

Question 45: What does the pattern attribute in an HTML5 input field do?

1. Specifies a regular expression the input field's value is checked against
2. Determines the pattern in which data is entered
3. Creates a visual pattern in the background of the field
4. Sets the input format for date and time fields

Answer: 1. Specifies a regular expression the input field's value is checked against

Explanation: The pattern attribute specifies a regular expression that the <input> element's value is checked against.

Question 46: Which HTML5 element is used to define the navigation links?

1. <navigate>
2. <nav>
3. <links>
4. <navigation>

Answer: 2. <nav>

Explanation: The <nav> element is used in HTML5 to define a set of navigation links.

Question 47: Which HTML5 element is used to specify a group of introductory or navigational aids for a page?

1. <group>
2. <header>
3. <section>
4. <intro>

Answer: 2. <header>

Explanation: The <header> element is used in HTML5 to specify a group of introductory or navigational aids for a page.

Question 48: In HTML5, what is the purpose of the data-\* attribute?

1. To store custom data private to the page or application
2. To embed data that needs to be sent to the server
3. To hold data about the user's browser

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

4. To store configuration settings for JavaScript libraries

Answer: 1. To store custom data private to the page or application

Explanation: The data-\* attribute is used to store custom

Question 49: Which HTML5 element is specifically used for marking up a block of code?

1. `<code>`
2. `<script>`
3. `<block>`
4. `<pre>`

Answer: 1. `<code>`

Explanation: The `<code>` element is used in HTML5 to define a piece of computer code.

Question 50: Which element in HTML5 is best used for marking up a scalar measurement within a known range, like a disk usage?

1. `<gauge>`
2. `<measure>`
3. `<meter>`
4. `<range>`

Answer: 3. `<meter>`

Explanation: The `<meter>` element represents a scalar measurement within a known range, such as disk usage or the relevance of a query result.

Question 51: What does the autoplay attribute do in a `<video>` or `<audio>` element in HTML5?

1. Automatically downloads the video or audio
2. Automatically plays the video or audio as soon as it can do so without stopping
3. Repeats the video or audio automatically after it's finished
4. Plays the video or audio in a loop

Answer: 2. Automatically plays the video or audio as soon as it can do so without stopping

Explanation: The autoplay attribute is a boolean attribute. When present, it specifies that the video or audio will start playing as soon as it is ready, without waiting for the entire file to download.

Question 52: Which HTML5 attribute specifies whether the content of an element should be editable or not?

1. editable
2. contenteditable
3. modify
4. changeable

Answer: 2. contenteditable

Explanation: The contenteditable attribute is used to specify whether the content of an element is editable or not.

Question 53: In HTML5, which element is used to define a section of content that should be independently distributable or reusable?

1. <section>
2. <article>
3. <block>
4. <content>

Answer: 2. <article>

Explanation: The <article> element represents a self-contained composition in a document, page, application, or site, which is intended to be independently distributable or reusable, e.g., in syndication.

Question 54: Which HTML5 element is used for specifying a standard way to embed a video in a webpage?

1. <movie>
2. <media>
3. <video>
4. <clip>

Answer: 3. <video>

Explanation: The <video> element is used to embed video content in a document.

Question 55: What is the main function of the <figcaption> element in HTML5?

1. To define a caption for a <figure> element
2. To create a legend for a form control
3. To provide a title for an image
4. To label a diagram or illustration

Answer: 1. To define a caption for a <figure> element

Explanation: The <figcaption> element is used to define a caption for a <figure> element in HTML5.

Question 56: Which attribute is used to specify the URL of the resource to be used by the object in HTML5?

1. src
2. data
3. href

#### 4. type

Answer: 2. data

Explanation: The data attribute is used on the <object> element to specify the URL of the resource to be used by the object.

Question 57: In HTML5, which attribute of the <textarea> element specifies the visible width of the text control?

1. rows
2. cols
3. length
4. width

Answer: 2. cols

Explanation: The cols attribute in the <textarea> element specifies the visible width of a text area.

Question 58: What is the role of the alt attribute for images in HTML5?

1. To provide an alternative text for an image
2. To specify the URL of the image
3. To define a caption for the image
4. To set the size of the image

Answer: 1. To provide an alternative text for an image

Explanation: The alt attribute provides alternative information for an image if a user for some reason cannot view it (because of slow connection, an error in the src attribute, or if the user uses a screen reader).

Question 59: Which HTML5 element is used to specify a header for a section or page?

1. <header>
2. <top>
3. <head>
4. <sectionhead>

Answer: 1. <header>

Explanation: The <header> element is used to represent a group of introductory or navigational aids for a page or section.

Question 60: In HTML5, which element represents a command that a user can perform or activate?

1. <command>
2. <button>
3. <action>
4. <do>

Answer: 2. <button>

Explanation: The <button> element represents a clickable button, which can be used to submit forms or anywhere in a document for accessible, standard button functionality.

Question 61: What is the correct HTML5 element for playing audio files?

1. <sound>
2. <audio>
3. <mp3>
4. <music>

Answer: 2. <audio>

Explanation: The <audio> element is used to embed sound content in documents. It can be used to play audio files.

Question 62: Which HTML5 element defines a set of navigation links?

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

1. <nav>
2. <navigate>
3. <links>
4. <navigation>

Answer: 1. <nav>

Explanation: The <nav> element defines a set of navigation links in HTML5.

Question 63: Which HTML5 element is used to define a part of text in an alternate voice or mood?

1. <mark>
2. <em>
3. <strong>
4. <sarcasm>

Answer: 2. <em>

Explanation: The <em> element is used to define emphasized text. The content is displayed in an italicized version of the normal font to denote a different mood or voice.

Question 64: In HTML5, which element is used to define emphasized text?

1. <em>
2. <i>
3. <bold>
4. <strong>

Answer: 1. <em>

Explanation: The <em> tag is used to define emphasized text in HTML5, which typically displays as italicized text.



Question 65: Which HTML5 element is used to represent a piece of a webpage that is independent of its surroundings?

1. <section>
2. <article>
3. <aside>
4. <block>

Answer: 2. <article>

Explanation: The <article> element represents a piece of content that is independent of its surroundings.

Question 66: Which attribute in HTML5 is used to specify that an input element should be disabled?

1. disable
2. inactive
3. off
4. disabled

Answer: 4. disabled

Explanation: The disabled attribute is a boolean attribute that indicates that the input element should be disabled.

Question 67: What is the purpose of the download attribute in the <a> tag in HTML5?

1. To start downloading a resource when the link is clicked
2. To link to a downloadable file
3. To set the path for downloading files
4. To provide a download count for the resource

Answer: 1. To start downloading a resource when the link is clicked

Explanation: The download attribute, when present, indicates that the author intends the hyperlink to be used for downloading a resource.

Question 68: Which HTML5 element is used to specify independent self-contained content?

1. <section>
2. <article>
3. <aside>
4. <block>

Answer: 2. <article>

Explanation: The <article> element is used to define independent, self-contained content.

Question 69: In HTML5, what does the async attribute in a <script> tag do?

1. It stops the script until the page has finished parsing
2. It runs the script asynchronously as soon as it is available
3. It defers the script to run after the page has finished parsing
4. It checks for syntax errors in the script

Answer: 2. It runs the script asynchronously as soon as it is available

Explanation: The async attribute in a <script> tag allows the script to be executed asynchronously as soon as it is available, without waiting for the entire page to be loaded.

Question 70: What is the purpose of the defer attribute in a <script> tag in HTML5?

1. To delay the execution of the script until after the page has finished parsing
2. To run the script in the background

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

3. To load the script after all images have loaded
4. To execute the script immediately

Answer: 1. To delay the execution of the script until after the page has finished parsing

Explanation: The defer attribute is a boolean attribute that indicates

Question 71: Which HTML5 element is used to define a section of a document that links to other parts of the document or to other documents?

1. <link>
2. <nav>
3. <connect>
4. <relation>

Answer: 2. <nav>

Explanation: The <nav> element is used to define a section of a document that contains navigation links to other parts of the document or to other documents.

Question 72: In HTML5, which element is used to represent data with more than one dimension?

1. <data>
2. <datalist>
3. <table>
4. <grid>

Answer: 3. <table>

Explanation: The <table> element is used to represent tabular data — that is, information presented in a two-dimensional table comprised of rows and columns of cells containing data.

Question 73: What does the controls attribute do in a <video> or <audio> element in HTML5?

1. Adds video or audio controls like play, pause, and volume
2. Controls the number of times the media loops
3. Sets the default playback rate
4. Determines the control flow of the script

Answer: 1. Adds video or audio controls like play, pause, and volume

Explanation: The controls attribute is a boolean attribute. When present, it displays controls like play, pause, and volume in the <video> or <audio> element.

Question 74: Which HTML5 element represents a list of commands?

1. <cmd>
2. <list>
3. <command>
4. <menu>

Answer: 4. <menu>

Explanation: The <menu> element represents a list of commands in HTML5.

Question 75: In HTML5, which element is used to define additional details that the user can view or hide?

1. <details>
2. <summary>
3. <extra>
4. <moreinfo>

Answer: 1. <details>

Explanation: The <details> element is used to specify additional details that the user can view or hide on demand.

Question 76: Which HTML5 element is used to define a control for entering a date (year, month, and day, with no time)?

1. <datetime>
2. <date>
3. <input type="date">
4. <calendar>

Answer: 3. <input type="date">

Explanation: The <input type="date"> element is used to create an input field for entering a date (year, month, and day, with no time).

Question 77: What is the purpose of the for attribute in the <label> element in HTML5?

1. To specify the form element a label is bound to
2. To define the formatting of the label
3. To indicate the order of label elements
4. To determine the focus for the label

Answer: 1. To specify the form element a label is bound to

Explanation: The for attribute in the <label> element specifies which form element a label is bound to.

Question 78: In HTML5, what is the purpose of the <figcaption> element?

1. To define a caption for a <figure> element
2. To provide a title for a section
3. To add a legend to a graph
4. To label an image or illustration

Answer: 1. To define a caption for a <figure> element

Explanation: The <figcaption> element is used to define a caption for a <figure> element in HTML5.

Question 79: Which HTML5 element is used to define a container for an external application or interactive content (a plug-in)?

1. <embed>
2. <app>
3. <interactive>
4. <external>

Answer: 1. <embed>

Explanation: The <embed> element is used to define a container for an external application or interactive content, such as a web browser plug-in.

Question 80: In HTML5, which element is used to define a piece of computer code?

1. <code>
2. <program>
3. <script>
4. <computercode>

Answer: 1. <code>

Explanation: The <code> element is used to define a piece of computer code in HTML5. It is typically displayed in the browser's default monospace font.

Question 81: What is the purpose of the autoplay attribute in HTML5 media elements like <video> and <audio>?

1. To start playing the media automatically when the page is loaded
2. To continuously play the media in a loop
3. To preload the media when the page is loaded
4. To mute the media by default

Answer: 1. To start playing the media automatically when the page is loaded

Explanation: The autoplay attribute is a boolean attribute that, when present, indicates that the media should automatically begin playback as soon as it is able to do so without stopping to finish loading the data.

Question 82: Which HTML5 element represents a thematic break between paragraph-level elements (for example, a change of scene in a story, or a shift of topic within a section)?

1. <break>
2. <change>
3. <hr>
4. <divider>

Answer: 3. <hr>

Explanation: The <hr> element represents a thematic break between paragraph-level elements, such as a change of scene in a story or a shift of topic within a section.

Question 83: What does the multiple attribute do in an <input> element in HTML5?

1. Allows the user to enter multiple values
2. Enables multiple selections in a dropdown list
3. Permits multiple file uploads
4. Both 2 and 3

Answer: 4. Both 2 and 3

Explanation: The multiple attribute is a boolean attribute that, when present, specifies that multiple values can be entered or selected in the input.

Question 84: Which HTML5 element is used to define a section in a document, such as chapters, headers, footers, or any other sections of the document?

1. <section>
2. <part>
3. <division>
4. <area>

Answer: 1. <section>

Explanation: The <section> element is used to define a section in a document.

Question 85: In HTML5, which element is used to represent a container for introductory content or a set of navigational links?

1. <header>
2. <intro>
3. <navigation>
4. <top>

Answer: 1. <header>

Explanation: The <header> element represents a container for introductory content or a set of navigational links in HTML5.

Question 86: Which HTML5 element is used for content that is tangentially related to the content around it, like a sidebar?



1. <sidebar>
2. <related>
3. <aside>
4. <tangent>

Answer: 3. <aside>

Explanation: The <aside> element is used for content that is tangentially related to the content around it, like a sidebar.

Question 87: What is the purpose of the preload attribute in a <video> or <audio> element in HTML5?

1. To preload the entire media file
2. To buffer enough media to start playing
3. To load metadata of the media file
4. To prevent the media from preloading

Answer: 2. To buffer enough media to start playing

Explanation: The preload attribute specifies if and how the author thinks that the video/audio should be loaded when the page loads. It allows buffering enough media to start playing.

Question 88: In HTML5, which attribute for the <meta> tag specifies the description of the page?

1. content
2. description
3. name="description"
4. meta-description

Answer: 3. name="description"

Explanation: The name="description" attribute in the <meta> tag is used to specify the description of the page.

Question 89: Which HTML5 element represents a list of items where the order of the items is not important?

1. <ol>
2. <ul>
3. <list>
4. <items>

Answer: 2. <ul>

Explanation: The <ul> (unordered list) element represents a list of items where the order of the items is not important.

Question 90: In HTML5, which attribute of the <track> element specifies the kind of text track?

1. type
2. kind
3. mode
4. track-type

Answer: 2. kind

Explanation: The kind attribute of the <track> element specifies the kind of text track (subtitles, captions, descriptions, chapters, or metadata).

Question 91: What is the purpose of the maxlength attribute in an <input> element in HTML5?

1. To specify the maximum length of the input value
2. To set the maximum number of characters allowed
3. To define the maximum value for numeric input types
4. Both 1 and 2

Answer: 4. Both 1 and 2

Explanation: The maxlength attribute specifies the maximum length of the input value in terms of the number of characters allowed.

Question 92: Which HTML5 element is used to represent a scalar value within a known range, such as the volume control?

1. <range>
2. <measure>
3. <slider>
4. <input type="range">

Answer: 4. <input type="range">

Explanation: The <input type="range"> element is used to represent a scalar value within a known range, such as a slider control for volume.

Question 93: In HTML5, what does the form attribute of the <button> element specify?

1. The type of the form
2. The action to be performed by the button
3. The form to which the button belongs
4. The method used by the form

Answer: 3. The form to which the button belongs

Explanation: The form attribute of the <button> element specifies the form the button belongs to, linking the button to a specific form even if it is not contained within it.

Question 94: What is the function of the placeholder attribute in HTML5 input elements?

1. To provide a hint to the user about what kind of information is expected in the input

2. To set a default value that is submitted with the form
3. To display a label within the input element
4. To store temporary data until the form is submitted

Answer: 1. To provide a hint to the user about what kind of information is expected in the input

Explanation: The placeholder attribute provides a hint to the user about what kind of information is expected in the input field, typically displayed until the user starts typing in the field.

Question 95: Which HTML5 element defines a group of media content, and is typically used with the <audio> or <video> elements?

1. <media>
2. <group>
3. <source>
4. <track>

Answer: 3. <source>

Explanation: The <source> element is used within media elements like <audio> or <video> to specify multiple media sources for different devices or browsers.

Question 96: In HTML5, which element is used to define a container for vector graphics?

1. <svg>
2. <vector>
3. <graphics>
4. <draw>

Answer: 1. <svg>

Explanation: The <svg> (Scalable Vector Graphics) element is used to define a container for vector graphics in HTML5.

Question 97: What is the purpose of the formaction attribute in an <input type="submit"> element in HTML5?

1. To specify the action for the form where the input element is located
2. To override the form's action attribute for that specific submit button
3. To define a group of actions for form submission
4. To specify the method of form submission

Answer: 2. To override the form's action attribute for that specific submit button

Explanation: The formaction attribute in an <input type="submit"> element allows you to override the action attribute of the form for that specific submit button.

Question 98: Which HTML5 element is used to define a block of text that has been quoted from another source?

1. <blockquote>
2. <quote>
3. <citation>
4. <source>

Answer: 1. <blockquote>

Explanation: The <blockquote> element is used to define a block of text that is quoted from another source.

Question 99: In HTML5, what does the nowrap attribute in a <td> element do?

1. Prevents the text in a table cell from wrapping
2. Automatically adjusts the width of the cell to fit the content

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

3. Aligns the text to the top of the cell
4. Stretches the cell to fit the largest item

Answer: 1. Prevents the text in a table cell from wrapping

Explanation: The nowrap attribute in a <td> (table cell) element prevents the text within the cell from wrapping.

Question 100: Which HTML5 element is used to define a header for a document or section?

1. <head>
2. <header>
3. <top>
4. <sectionhead>

Answer: 2. <header>

Explanation: The <header> element is used in HTML5 to define a header for a document or a section.

## CSS Tip and Basics:

### 1. What does CSS stand for?

CSS stands for Cascading Style Sheets.

Purpose: It's used for designing and customizing the appearance of web pages by styling HTML elements.

### 2. HTML Tag for Defining an Internal Style Sheet:

Use the <style> tag within the HTML document's <head> section.

```
<head>  
<style>
```

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

```
body { background-color: lightblue; }  
</style>  
</head>
```

Tip: Internal style sheets are useful for single-page styles. For larger projects, external CSS files are recommended.

### 3. Selecting an Element with ID "demo" in CSS:

Use the hashtag # followed by the ID.

```
#demo {  
  color: blue;  
}
```

Tip: IDs are unique to each element, making #demo select the specific element with id="demo".

### 4. Selecting Elements with Class Name "example":

Use the dot . followed by the class name.

```
.example {  
  font-size: 20px;  
}
```

Tip: Class selectors are used to select and style all elements with the specified class attribute.

### 5. Capitalizing Each Word in a Text:

Use the text-transform property with value capitalize.

```
p {  
  text-transform: capitalize;  
}
```

Tip: This property capitalizes the first letter of each word in the selected element(s).

### 6. Changing the Background Color:

Use the background-color property.

```
body {  
  background-color: lightgray;  
}
```

Tip: You can use color names, RGB, RGBA, HEX, etc., as values for this property.

## 7. Changing the Font of an Element:

Use the font-family property.

```
p {  
  font-family: Arial, sans-serif;  
}
```

Tip: Always provide a fallback font (like sans-serif or serif) in case the first choice font isn't available.

## 8. Making a List with Square Items:

Use the list-style-type property on ul or li elements.

```
ul {  
  list-style-type: square;  
}
```

Tip: This styles the bullet points of a list. Other values include circle, disc, none, etc.

## 9. Selecting All <p> Elements Inside a <div>:

Use descendant combinator (space) to select nested elements.

```
div p {  
  color: red;  
}
```

Tip: This selects all <p> elements that are inside any <div> element.

## 10. Understanding the Given CSS Code:

Please provide the specific CSS code you're referring to for a detailed explanation.



# Text Styling and Formatting in CSS: Detailed Guide with Examples

## 1. CSS Property for Text Size:

Property: font-size

```
p {  
  font-size: 16px;  
}
```

Tip: You can use different units like px, em, rem, or % for setting the size.

## 2. Displaying Hyperlinks Without Underline:

Property: text-decoration

```
a {  
  text-decoration: none;  
}
```

Tip: This property is also used to add underline, overline, or line-through decorations.

## 3. Changing Left Margin of an Element:

Property: margin-left

```
div {  
  margin-left: 20px;  
}
```

Tip: You can also use margin shorthand to set margins for all sides.

## 4. Making Text Bold:

Property: font-weight

```
strong {  
  font-weight: bold;  
}
```

Tip: Besides bold, you can use numeric values like 700 for weight.

## 5. Setting Spacing Between Words:

Property: word-spacing

```
p {  
  word-spacing: 5px;  
}
```

Tip: Adjust the value to increase or decrease space between words.

## 6. Changing the Font Name:

Property: font-family

```
body {  
  font-family: 'Arial', sans-serif;  
}
```

Tip: Always provide a fallback font type. Use font names in quotes if they contain spaces.

## 7. Making a Border Visible on All Sides of a Box:

Property: border

```
div {  
  border: 2px solid black;  
}
```

Tip: The border shorthand sets the width, style, and color of the border.

## 8. Changing Font Color of an Element:

Property: color

```
h1 {  
  color: blue;  
}
```

Tip: color can be specified using names, HEX, RGB, or HSL values.

## 9. Default Value of the Position Property:

Default Value: static

In static positioning, elements are positioned according to the normal flow of the document.

## 10. Creating a Circle Shape in CSS:

```
.circle {  
width: 100px;  
height: 100px;  
background-color: red;  
border-radius: 50%;  
}
```

Tip: border-radius: 50% transforms a square into a circle. Ensure height and width are equal.

## 11. Applying CSS Style for a Component with Two Specific Classes:

Syntax: Use a dot . to concatenate the class names without any space.

```
.classOne.classTwo {  
color: green;  
}
```

Example HTML: `<div class="classOne classTwo">Text</div>`

Tip: This rule will only apply to elements that have both classOne and classTwo.

# Selectors and Specificity in CSS: A Comprehensive Guide with Examples

## 1. Setting Background Image of an Element:

Property: background-image

```
div {  
background-image: url('image.jpg');  
}
```

Tip: The URL should point to the image you want to set as the background. It can be a relative or absolute path.

## 2. Displaying List Items Inline:

Property: display

```
li {  
  display: inline;  
}
```

Tip: This makes list items appear in a row, rather than the default stacked vertically.

## 3. Controlling Layout and Formatting of <fieldset> Element:

Property: General layout properties like width, margin, padding, border, etc., are used.

```
fieldset {  
  border: 2px solid gray;  
  padding: 10px;  
  width: 50%;  
}
```

Tip: Customize your <fieldset> elements using these standard CSS properties to fit the layout of your form.

## 4. Creating Rounded Corners Using CSS:

Property: border-radius

```
div {  
  border-radius: 10px;  
}
```

Tip: The border-radius property can accept pixel values or percentages to create circular or elliptical shapes.

## 5. Selecting All <p> Elements with a <div> Parent:

Selector: Descendant combinator (space)

```
div p {  
  color: blue;  
}
```

Tip: This selector targets all <p> elements that are inside a <div> element.

## 6. Adding Shadow to Elements:

Property: box-shadow

```
div {  
  box-shadow: 5px 5px 10px rgba(0, 0, 0, 0.5);  
}
```

Tip: The box-shadow property takes values for horizontal offset, vertical offset, blur radius, and color.

## 7. Meaning of h1 + p in CSS:

Represents: The adjacent sibling combinator.

It selects a <p> element immediately following an <h1>.

```
h1 + p {  
  font-weight: bold;  
}
```

Tip: This is useful when you want to style an element that directly follows another specific element.

## 8. Specifying Space Between Cells in a Table:

Property: border-spacing

```
table {  
  border-spacing: 5px;  
}
```

Tip: This property sets the distance between the borders of adjacent table cells.

## 9. Setting Opacity of an Element:

Property: opacity

```
div {  
  opacity: 0.5; /* 50% transparency */  
}
```

Tip: opacity ranges from 0 (completely transparent) to 1 (completely opaque).

## 10. Purpose of the z-index Property:

Function: Controls the stacking order of positioned elements.

```
div {  
  position: relative;  
  z-index: 10;  
}
```

Tip: Elements with a higher z-index cover those with a lower one. It works only on elements with a position value other than static.

# Layout and Positioning in CSS: Detailed Insights with Examples

## 1. Function of the CSS Display Property:

Purpose: The display property specifies how an element is displayed.

```
div {  
  display: none; /* Hide an element */  
}  
span {  
  display: block; /* Make an inline element behave like a block-level element */  
}
```

Tip: Common values include block, inline, inline-block, none, and more recently, flex and grid.

## 2. Selecting All Child <p> Elements of a <div>:

Selector: Child combinator (>)

```
div > p {  
  color: blue;  
}
```

Tip: This selector targets only <p> elements that are direct children of a <div>.

## 3. Invalid CSS Unit:

Invalid Unit: Example of a non-valid unit is ptx.

Valid Units: px, em, rem, %, vh, vw, etc.

## 4. Purpose of the Overflow Property in CSS:

Function: Controls what happens to content that exceeds the bounds of its container.

```
div {  
  overflow: hidden; /* Hides content that overflows the div's box */  
}
```

Tip: Other values include scroll, auto, and visible.

## 5. Difference Between visibility and display:

visibility: hidden; makes an element invisible, but it still takes up space in the layout.

display: none; removes the element from the document flow, and it takes up no space.

```
.hidden {  
  visibility: hidden;  
}  
.gone {  
  display: none;  
}
```

Tip: Use `display: none;` for removing an element completely and `visibility: hidden;` to hide but maintain space.

## 6. Changing Cursor Type on Hover:

Property: `cursor`

```
button:hover {  
  cursor: pointer; /* Changes the cursor to a pointer when hovering over a  
  button */  
}
```

Tip: `cursor` can be set to various values like `default`, `pointer`, `crosshair`, etc.

## 7. Using `:nth-child()` Pseudo-Class in CSS:

Purpose: Selects the `n`th child of a parent element.

```
p:nth-child(2) {  
  color: blue; /* Selects the second <p> element */  
}
```

Tip: You can use formulas like `nth-child(2n+1)` for complex selections.

## 8. Default Position Value in CSS:

Default Value: `static`

In this default state, elements are positioned according to the normal flow of the document.

## 9. Adding a Comment in a CSS File:

Syntax: Comments in CSS are added using `/* comment */`.

```
/* This is a comment */
```

```
body {  
  background-color: white;  
}
```

Tip: Use comments to explain sections of CSS code, making it easier to understand and maintain.



# Box Model, Borders, and Layout in CSS: In-Depth Explorations

## 1. Creating Space Around Elements (Outside Borders):

Property: margin

```
div {  
  margin: 10px; /* Creates 10px space around the div */  
}
```

Tip: margin can be set for each side individually (e.g., margin-top, margin-right, etc.) or using shorthand notation.

## 2. The Flex Property in CSS Flexbox Layout:

Function: In a flex container, the flex property specifies how a flex item will grow or shrink to fit the available space.

```
.flex-item {  
  flex: 1; /* Flex item will grow or shrink to fill the space */  
}
```

Tip: flex is a shorthand for flex-grow, flex-shrink, and flex-basis.

## 3. Purpose of the Clear Property in CSS:

Function: Prevents floating elements from affecting the element it's applied to.

```
div {  
  clear: both; /* Neither left nor right floating elements will affect this div */  
}
```

Tip: Commonly used in layouts where floating elements are involved, ensuring consistent spacing and alignment.

## 4. Controlling Text Wrapping in CSS:

Property: white-space

```
p {
  white-space: nowrap; /* Prevents text from wrapping to a new line */
}
```

Tip: Other values include normal, pre, pre-wrap, and pre-line.

## 5. Creating a Numbered List:

HTML Element: <ol> (Ordered List)

```
<ol>
  <li>First item</li>
  <li>Second item</li>
</ol>
```

Tip: <ol> automatically creates a numbered list, with <li> for each item.

## 6. Moving Content Away from Borders:

Property: padding

```
div {
  padding: 15px; /* Adds space between the content and the border of the
  div */
}
```

Tip: Padding increases the internal space within an element, unlike margins which create space outside.

## 7. Default Display Value for Most Elements:

Default Value: block for elements like <div>, <p>, etc., and inline for elements like <span>, <a>, etc.

## 8. Function of the :after Pseudo-Element:

Purpose: Inserts content after the content of the selected element.

```
p:after {
  content: ' *'; /* Adds an asterisk after every paragraph */
}
```

Tip: Commonly used for decorative elements or to append content.

## 9. Selecting Every <p> Element Whose Parent is Not a <div>:

Selector: :not() and direct child combinator (>)

```
:not(div) > p {  
  color: red; /* Styles <p> elements that are not direct children of <div> */  
}
```

Tip: This selector is versatile for excluding specific parent-child relationships.

## 10. Changing Style of the Bottom Border:

Property: border-bottom

```
div {  
  border-bottom: 2px solid blue; /* Sets a blue bottom border for div */  
}
```

Tip: Similar properties exist for border-top, border-left, and border-right.

## 11. Effect of position: relative; in CSS:

Function: This property sets the element's position relative to its normal position.

```
div {  
  position: relative;  
  top: 10px; /* Moves the div 10px down from its original position */  
}
```

Tip: Relative positioning doesn't remove the element from the normal document flow, unlike absolute positioning.

# Transformations and Animations in CSS: Essential Techniques and Examples

## 1. Changing Color of an Element on Mouse Hover:

Property: :hover pseudo-class

```
button:hover {  
  color: red; /* Changes the text color to red when the mouse hovers over it  
*/  
}
```

Tip: The :hover pseudo-class can be applied to almost any element, not just links.

## 2. Creating a Drop Shadow Effect:

Property: box-shadow

```
div {  
  box-shadow: 5px 5px 10px grey; /* Adds a grey shadow to the div */  
}
```

Tip: box-shadow can accept multiple values to create complex shadow effects.

## 3. Controlling Space Between Letters:

Property: letter-spacing

```
p {  
  letter-spacing: 2px; /* Increases the space between letters */  
}
```

Tip: Negative values are allowed to reduce the space between letters.

## 4. Changing Order of Flex Items:

Property: order in Flexbox

```
.flex-item {  
  order: 2; /* Changes the order of this flex item */  
}
```

Tip: Items in a flex container can be reordered without changing the HTML structure.

## 5. Center Aligning Text Horizontally:

Property: text-align

```
p {  
  text-align: center; /* Horizontally centers the text inside a paragraph */  
}
```

Tip: text-align: center; is one of the most commonly used properties for text alignment.

## 6. Adding a Border to an Element:

Property: border

```
div {  
  border: 1px solid black; /* Adds a solid black border */  
}
```

Tip: The border property is shorthand for border-width, border-style, and border-color.

## 7. Making Font Italic:

Property: font-style

```
p {  
  font-style: italic; /* Makes the paragraph text italic */  
}
```

Tip: Other values for font-style include normal and oblique.

## 8. Creating Rounded Corners with Specific Radius:

Property: border-radius

```
div {  
  border-radius: 10px; /* Rounds the corners of the div */  
}
```

Tip: You can specify different radii for each corner (e.g., border-radius: 10px 5px 15px 20px; for top-left, top-right, bottom-right, and bottom-left respectively).

## 9. Making Text Bold:

Property: font-weight

```
strong {  
  font-weight: bold; /* Makes the text within <strong> bold */  
}
```

Tip: Besides bold, you can also specify numeric values for weight (e.g., 700).

# Spacing and Alignment in CSS: Detailed Guide with Examples

## 1. Specifying Space Between Lines of Text:

Property: line-height

```
p {  
  line-height: 1.5; /* Sets the space between lines to 1.5 times the normal  
  line space */  
}
```

Tip: line-height can improve readability, especially in large blocks of text.

## 2. Applying Styles to the First Letter of a Text Element:

Pseudo-element: ::first-letter

```
p::first-letter {  
  font-size: 200%;  
  color: blue;  
}
```

Tip: This is often used to create a drop cap or stylize the first letter of a paragraph.

## 3. Transforming Text to Uppercase:

Property: text-transform: uppercase;

```
p {
```

```
text-transform: uppercase; /* Converts all text in the paragraph to
uppercase */
}
```

Tip: Other values for text-transform include lowercase, capitalize, and none.

## 4. Purpose of the rgba() Color Format:

Function: Allows specifying colors with an alpha channel (transparency level).

```
div {
background-color: rgba(255, 0, 0, 0.5); /* Semi-transparent red */
}
```

Tip: The rgba format is useful for creating overlay effects or semi-transparent elements.

## 5. Controlling Width of an Element's Border:

Property: border-width

```
div {
border-width: 5px; /* Sets a 5px border width */
}
```

Tip: You can specify individual border widths for each side (e.g., border-width: 1px 2px 3px 4px;).

## 6. Changing Background Color on Mouse Hover:

Property: :hover pseudo-class with background-color

```
button:hover {
background-color: lightblue; /* Changes background color when hovered */
}
```

Tip: This property is widely used for interactive elements like buttons and links to improve user experience.

## 7. Specifying List Item Markers:

Property: list-style-type

```
ul {
```

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

```
list-style-type: square; /* Uses squares as the list item marker */
}
```

Tip: For ordered lists (<ol>), values like decimal or lower-alpha can be used.

## 8. Purpose of the CSS Overflow-x Property:

Function: Controls how overflow is handled horizontally in a container.

```
div {
  overflow-x: scroll; /* Adds a horizontal scrollbar if the content overflows */
}
```

Tip: Use overflow-x when you want to control horizontal overflow without affecting the vertical overflow.

## 9. Selecting All Even Rows of a Table:

Selector: :nth-child() pseudo-class

```
tr:nth-child(even) {
  background-color: lightgray;
}
```

Tip: This CSS selector is particularly useful for styling alternate rows in tables for better readability.

## 10. Purpose of text-decoration: underline;:

Function: Adds an underline to the text.

```
a {
  text-decoration: underline; /* Underlines all anchor (link) text */
}
```

Tip: Commonly used for emphasizing or highlighting text, especially for links.

# Pseudo-Classes and Elements in CSS: A Comprehensive Exploration

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>



## 1. Changing Color of Visited Links:

Property: :visited pseudo-class

```
a:visited {  
  color: purple;  
}
```

Tip: Use :visited to style links differently once they have been clicked. Be mindful of privacy concerns when styling visited links.

## 2. Applying Styles to Every Second Element:

Pseudo-class: :nth-child()

```
li:nth-child(2n) {  
  color: blue; /* Styles every second list item */  
}
```

Tip: The 2n in nth-child(2n) represents an even pattern, thus selecting every second element.

## 3. Controlling Order of Columns in CSS Grid:

Property: order within a grid item

```
.grid-item {  
  order: 2; /* Positions this item second in the grid layout */  
}
```

Tip: The order property works in both Flexbox and CSS Grid layouts to control the sequencing of items.

## 4. The display: inline-block; Property:

Function: Allows an element to flow like an inline element but retains block-level styling capabilities.

```
span {  
  display: inline-block;  
  width: 50px;  
  height: 50px;  
}
```

Tip: inline-block is useful for aligning elements side by side while still being able to set width and height.

## 5. Selecting the First Child of a Specific Element Type:

Pseudo-class: :first-child

```
p:first-child {  
  font-weight: bold; /* Styles the first paragraph element in its parent */  
}
```

Tip: This selector targets the first occurrence of the specified element within its parent.

## 6. Purpose of text-align: center;:

Function: Horizontally centers the inline content of an element.

```
div {  
  text-align: center; /* Centers the text inside the div */  
}
```

Tip: It's commonly used for centering text or inline elements within a block-level element.

## 7. Control by background-repeat Property:

Function: Determines how background images are repeated.

```
body {  
  background-image: url('image.jpg');  
  background-repeat: no-repeat; /* The image will not be repeated */  
}
```

Tip: Other values include repeat, repeat-x, repeat-y.

## 8. Controlling Space Between Columns in CSS Grid:

Property: grid-column-gap or column-gap in newer specifications

```
.grid-container {  
  display: grid;  
  column-gap: 20px; /* Sets the gap between columns */  
}
```

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

```
}
```

Tip: column-gap is part of the modern Grid Layout specification, providing a standardized way to set gaps.

## 9. Controlling Order of Items in Flexbox:

Property: order within a flex item

```
.flex-item {  
  order: 1; /* This item will be positioned first */  
}
```

Tip: Especially useful in responsive layouts where order might change based on screen size.

## 10. Creating a CSS Class for Elements with a Specific Attribute:

Attribute Selector:

```
input[type="text"] {  
  border-color: blue; /* Applies styles to all text-type input elements */  
}
```

Tip: This selector targets elements based on their attributes, providing a powerful way to apply styles conditionally.

# Other Styling and Effects in CSS: Detailed Explanations and Examples

## 1. flex-direction in Flexbox Layout:

Function: Determines the direction of the flex items within a flex container.

```
.flex-container {  
  display: flex;  
  flex-direction: column; /* Stacks flex items vertically */  
}
```

Tip: Other values include row, row-reverse, and column-reverse.

## 2. Purpose of white-space: nowrap;

Function: Prevents text from wrapping to a new line.

```
p {
  white-space: nowrap; /* Keeps text in a single line */
}
```

Tip: Useful in situations where text wrapping is not desirable, like in navigational menus.

## 3. Applying Styles on Hover of Parent Element:

```
div:hover p {
  color: red; /* Styles <p> when its parent <div> is hovered */
}
```

Tip: This is a common technique for creating interactive hover effects on parent-child relationships.

## 4. Spacing Between Characters:

Property: letter-spacing

```
p {
  letter-spacing: 2px; /* Increases the space between characters */
}
```

Tip: Negative values can be used for closer character spacing.

## 5. Vertical Text Alignment:

While CSS doesn't provide a direct way to vertically align text, a common technique involves using display: flex and align-items.

```
div {
  display: flex;
  align-items: center; /* Vertically centers text in the div */
  height: 100px;
}
```

Tip: Flexbox is a versatile tool for both horizontal and vertical alignment.

## 6. Selecting the Last Child of a Specific Element Type:

Pseudo-class: :last-child

```
p:last-child {  
  font-weight: bold; /* Styles the last <p> element in its parent */  
}
```

Tip: Targets the last occurrence of the specified element within its parent.

## 7. cursor: pointer; Property:

Function: Changes the cursor to a pointer, indicating a clickable element.

```
button {  
  cursor: pointer;  
}
```

Tip: Commonly used for buttons, links, or other interactive elements.

## 8. Purpose of text-overflow: ellipsis;:

Function: Truncates text and shows an ellipsis (...) when it overflows its container.

```
div {  
  white-space: nowrap;  
  overflow: hidden;  
  text-overflow: ellipsis;  
}
```

Tip: Ensure overflow is set to hidden and white-space to nowrap for this to work.

## 9. Specifying Style of an Element's Border:

Property: border-style

```
div {  
  border-style: dashed; /* Sets a dashed border */  
}
```

Tip: Values include solid, dotted, dashed, double, none, etc.

## 10. font-family Property:

Function: Specifies the typeface used for text in an element.

```
body {  
  font-family: "Arial", sans-serif;  
}
```

Tip: Always provide fallback font options.

## 11. Controlling Transparency:

Property: opacity

```
div {  
  opacity: 0.5; /* 50% transparent */  
}
```

Tip: The value of opacity ranges from 0 (fully transparent) to 1 (fully opaque).

## 12. Selecting Elements with a Specific Class:

```
.example {  
  color: blue; /* Selects all elements with class 'example' */  
}
```

Tip: Class selectors are the backbone of CSS styling and are widely used due to their versatility.

## 13. box-sizing: border-box; Property:

Function: The dimensions of the element include padding and border.

```
div {  
  box-sizing: border-box;  
}
```

Tip: Makes width and height styling more predictable, especially when adding padding or borders.

## 14. Selecting Links Within a Specific Section:

```
#sectionId a {  
  color: green; /* Styles all <a> elements within the element with id  
'sectionId' */
```

```
}
```

Tip: Replace #sectionId with the actual ID of the section you're targeting.

## 15. Creating a Shadow Behind an Element's Border:

Property: box-shadow

```
div {  
  box-shadow: 10px 10px 5px grey; /* Adds a shadow to the div */  
}
```

Tip: Use box-shadow to add depth to elements, enhancing the user interface.

## 16. Selecting the Last Element of a Specific Type:

Pseudo-class: :last-of-type

```
p:last-of-type {  
  color: red; /* Styles the last <p> element within its parent */  
}
```

Tip: This is similar to :last-child but specific to the element type.

## 17. Creating a Rotating Animation:

Property: CSS Animations with @keyframes

```
@keyframes rotate {  
  from { transform: rotate(0deg); }  
  to { transform: rotate(360deg); }  
}  
div {  
  animation: rotate 2s infinite linear;  
}
```

Tip: CSS animations allow for complex effects and transformations.

## 18. text-decoration: none; Property:

Function: Removes decoration from text, commonly used to remove underlines from links.

```
a {
```

```
text-decoration: none;
}
```

Tip: Essential for custom link styling.

## 19. Selecting the First Element of a Specific Type:

Pseudo-class: :first-of-type

```
p:first-of-type {
  font-size: 20px; /* Styles the first <p> element within its parent */
}
```

Tip: Targets the first instance of the specified type, regardless of siblings of other types.

## 20. Controlling Spacing Between Lines of Text:

Property: line-height

```
p {
  line-height: 1.5; /* 1.5 times the normal line height */
}
```

Tip: line-height improves text readability and aesthetics, especially in large text blocks.

## CSS Quiz Questions

Question 1: What does CSS stand for?

1. Computer Style Sheets
2. Creative Style Sheets
3. Cascading Style Sheets
4. Colorful Style Sheets

Answer: 3. Cascading Style Sheets

Explanation: CSS stands for Cascading Style Sheets. It is used to style and layout web pages — for example, to alter the font, color, size, and spacing of your content, split it into multiple columns, or add animations and other decorative features.

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>



---

Question 2: Which HTML tag is used to define an internal style sheet?

1. <style>
2. <css>
3. <script>
4. <link>

Answer: 1. <style>

Explanation:

The <style> tag is used to define style information (CSS) for a single document. It is placed in the document's head section.

Code Sample:

```
<head>
<style>
body { background-color: lightblue; }
</style>
</head>
```

---

Question 3: How do you select an element with the id "demo" in CSS?

1. \*demo
2. #demo
3. .demo
4. demo

Answer: 2. #demo

Explanation:

In CSS, the hash symbol (#) is used to select elements with a specific id.

Code Sample:

```
#demo {  
  color: blue;  
}
```

---

Question 4: How do you select elements with the class name "example"?

1. \*example
2. #example
3. .example
4. example

Answer: 3. .example

Explanation:

In CSS, the dot (.) is used to select elements with a specific class.

Code Sample:

```
.example {  
  font-size: 20px;  
}
```

---

Question 5: How do you make each word in a text start with a capital letter?

1. text-transform: capitalize;
2. text-transform: uppercase;
3. text-transform: lowercase;
4. text-decoration: capitalize;

Answer: 1. text-transform: capitalize;

Explanation:

The text-transform: capitalize; CSS property capitalizes the first letter of each word in the element's text.

Code Sample:

```
p {  
  text-transform: capitalize;  
}
```

---

Question 6: Which property is used to change the background color?

1. color
2. bgcolor
3. background-color
4. background

Answer: 3. background-color

Explanation:

The background-color property in CSS is used to define the background color of an element.

Code Sample:

```
body {  
  background-color: lightblue;  
}
```

---

Question 7: Which property is used to change the font of an element?

1. font-weight
2. font-style
3. text-style
4. font-family

Answer: 4. font-family

Explanation:

The font-family property specifies the font for an element.

Code Sample:

```
p {  
  font-family: "Arial", sans-serif;  
}
```

---

Question 8: How do you make a list that lists its items with squares?

1. list-type: square;
2. list-style-type: square;
3. list-style: square;
4. list-decoration: square;

Answer: 2. list-style-type: square;

Explanation:

The list-style-type property applies styles to list items, such as square bullets for unordered lists.

Code Sample:

```
ul {  
  list-style-type: square;  
}
```

---

Question 9: How do you select all <p> elements inside a <div> element?

1. div p
2. div + p
3. div > p
4. div .p

Answer: 1. div p

Explanation:

The `div p` selector selects all `<p>` elements inside `<div>` elements.

Code Sample:

```
div p {  
  color: red;  
}
```

---

Question 10: What does the following CSS code do: `body { margin: 0; padding: 0; }`?

1. Removes the default margin and padding from all elements
2. Sets the margin and padding of the body element to 0
3. Centers the body element in the viewport
4. Removes the margin and padding from the document

Answer: 2. Sets the margin and padding of the body element to 0

Explanation:

This CSS code sets the margin and padding of the `<body>` element to 0, effectively removing the browser's default margin and padding applied to the body.

Code Sample:

```
body {  
  margin: 0;  
  padding: 0;  
}
```

Question 11: Which CSS property controls the text size?

1. `font-size`
2. `text-size`
3. `font-weight`

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

#### 4. text-style

Answer: 1. font-size

Explanation: The font-size property in CSS specifies the size of the text in an element.

Code Sample:

```
p {  
  font-size: 16px;  
}
```

---

Question 12: How do you display hyperlinks without an underline?

1. text-decoration: none;
2. text-style: no-underline;
3. font-style: no-underline;
4. decoration: none;

Answer: 1. text-decoration: none;

Explanation: The text-decoration: none; property is used to remove the underline from links.

Code Sample:

```
a {  
  text-decoration: none;  
}
```

---

Question 13: Which property is used to change the left margin of an element?

1. indent
2. margin-left
3. padding-left
4. border-left

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

Answer: 2. margin-left

Explanation: The margin-left property is used to change the left margin of an element.

Code Sample:

```
div {  
  margin-left: 20px;  
}
```

---

Question 14: How do you make a text bold?

1. font-weight: bold;
2. text-style: bold;
3. font-style: bold;
4. text-weight: bold;

Answer: 1. font-weight: bold;

Explanation: The font-weight: bold; property is used to make text bold.

Code Sample:

```
p {  
  font-weight: bold;  
}
```

---

Question 15: Which CSS property is used to set the spacing between words?

1. letter-spacing
2. spacing
3. word-spacing
4. text-spacing

Answer: 3. word-spacing

Explanation: The word-spacing property is used to set the space between words in a text.

Code Sample:

```
p {  
  word-spacing: 2px;  
}
```

---

Question 16: What is the correct CSS syntax to change the font name?

1. font: Arial;
2. font-name: Arial;
3. font-family: Arial;
4. text-font: Arial;

Answer: 3. font-family: Arial;

Explanation: The font-family property is used to specify the font of an element.

Code Sample:

```
p {  
  font-family: Arial, sans-serif;  
}
```

---

Question 17: How do you make a border visible on all sides of a box?

1. border-style: solid;
2. border: visible;
3. border-display: all;
4. border-line: solid;

Answer: 1. border-style: solid;



Explanation: The border-style: solid; property makes a border visible on all sides of a box.

Code Sample:

```
div {  
  border-style: solid;  
}
```

---

Question 18: Which property is used to change the font color of an element?

1. color
2. font-color
3. text-color
4. color-style

Answer: 1. color

Explanation: The color property is used for setting the color of the text.

Code Sample:

```
p {  
  color: red;  
}
```

---

Question 19: What is the default value of the position property?

1. relative
2. fixed
3. absolute
4. static

Answer: 4. static

Explanation: The default value of the position property in CSS is static.

---

Question 20: How can you create a circle shape in CSS?

1. shape: circle;
2. border-radius: 50%;
3. border-circle: 50%;
4. radius: 50%;

Answer: 2. border-radius: 50%;

Explanation: Using border-radius: 50%; on an element with equal width and height will create a circle shape.

Code Sample:

```
.circle {  
width: 100px;  
height: 100px;  
background-color: red;  
border-radius: 50%;  
}
```

Question 21: How do you apply a CSS style for a component with two specific classes?

1. .class1 + .class2
2. .class1.class2
3. .class1, .class2
4. .class1 > .class2

Answer: 2. .class1.class2

Explanation: To select an element that has both class1 and class2, you concatenate the class selectors as .class1.class2.

Code Sample:

```
.class1.class2 {  
color: blue;  
}
```

---

Question 22: Which property is used to set the background image of an element?

1. background-image
2. background-color
3. background-url
4. image-background

Answer: 1. background-image

Explanation: The background-image property sets one or more background images for an element.

Code Sample:

```
body {  
  background-image: url('background.jpg');  
}
```

---

Question 23: How do you make a list item display inline?

1. list-style: inline;
2. display: inline;
3. item-type: inline;
4. list-item: inline;

Answer: 2. display: inline;

Explanation: The display: inline; property is used to make a list item (or any element) display inline.

Code Sample:

```
li {  
  display: inline;  
}
```

---

Question 24: Which CSS property is used for controlling the layout and formatting of the <fieldset> element?

1. legend
2. fieldset
3. border
4. control

Answer: 3. border

Explanation: The border property can be used to control the appearance of the <fieldset> element.

Code Sample:

```
fieldset {  
  border: 2px solid green;  
}
```

---

Question 25: How can you create rounded corners using CSS?

1. corner-style: round;
2. border-round: 10px;
3. border-radius: 10px;
4. edge-round: 10px;

Answer: 3. border-radius: 10px;

Explanation: The border-radius property is used to create rounded corners.

Code Sample:

```
div {  
  border-radius: 10px;  
}
```

Question 26: How do you select all the <p> elements where the parent is a <div> element?

1. div + p
2. div p
3. div > p
4. p < div

Answer: 3. div > p

Explanation: The div > p selector selects all <p> elements where the parent is a <div> element.

Code Sample:

```
div > p {  
  color: blue;  
}
```

---

Question 27: Which property is used to add shadow to elements?

1. box-shadow
2. text-shadow
3. shadow-box
4. element-shadow

Answer: 1. box-shadow

Explanation: box-shadow is used to add shadow to elements.

Code Sample:

```
div {  
  box-shadow: 5px 5px 5px grey;  
}
```

Question 28: In CSS, what does h1 + p represent?

1. Selects all <p> elements directly after <h1>
2. Selects every <p> element inside <h1>
3. Selects the first <p> element after each <h1>
4. Selects all <p> elements that are siblings of <h1>

Answer: 1. Selects all <p> elements directly after <h1>

Explanation: The h1 + p selector selects the first <p> element immediately after each <h1>.

---

Question 29: Which property is used to specify the space between cells in a table?

1. cell-spacing
2. cell-padding
3. border-spacing
4. spacing

Answer: 3. border-spacing

Explanation: The border-spacing property is used to set the space between cells in a table.

Code Sample:

```
table {  
  border-spacing: 5px;  
}
```

---

Question 30: How can you set the opacity of an element in CSS?

1. opacity: 0.5;
2. visibility: 0.5;
3. alpha: 0.5;
4. transparency: 0.5;

Answer: 1. opacity: 0.5;

Explanation: The opacity property is used to set the transparency level of an element.

Code Sample:

```
div {  
  opacity: 0.5;  
}
```

Question 31: What is the purpose of the z-index property in CSS?

1. To set the zoom level of an element
2. To define the order of layered elements along the z-axis
3. To set the size of the background image
4. To add special effects to text

Answer: 2. To define the order of layered elements along the z-axis

Explanation: The z-index property in CSS is used to specify the stack order of positioned elements (like absolute, relative, or fixed elements). An element with a higher z-index is always stacked above one with a lower index.

---

Question 32: What does the CSS display: none; property do?

1. Hides an element, but it still takes up space in the layout
2. Hides an element and removes it from the layout
3. Makes the element transparent
4. Displays an element as a block element

Answer: 2. Hides an element and removes it from the layout

Explanation: display: none; not only hides the element, but it also removes it from the layout. This means the element will not take up any space on the page.

---

Question 33: How do you select all child elements of a div that are <p> elements?

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

1. div + p
2. div p
3. div > p
4. p < div

Answer: 2. div p

Explanation: The div p selector is used to select all <p> elements that are descendants of a <div>, regardless of their level of nesting within the div.

---

Question 34: Which of the following is not a valid CSS unit?

1. em
2. px
3. vh
4. ms

Answer: 4. ms

Explanation: ms is not a CSS unit. em, px, and vh are valid CSS units for various measurements like font size, element size, and viewport height percentage, respectively.

---

Question 35: What does the overflow property do in CSS?

1. It specifies what should happen if content overflows an element's box
2. It controls the layout of elements in a container
3. It sets whether an element should be visible or not
4. It specifies the line height of text

Answer: 1. It specifies what should happen if content overflows an element's box

Explanation: The overflow property specifies how to handle the content that overflows its container's box, such as displaying scroll bars or cutting off the overflow.



---

Question 36: In CSS, what is the difference between visibility: hidden; and display: none;?

1. No difference, both hide the element from the page
2. visibility: hidden; hides an element, but it still takes up space in the layout
3. display: none; changes the visibility to hidden
4. visibility: hidden; removes the element from the document

Answer: 2. visibility: hidden; hides an element, but it still takes up space in the layout

Explanation: visibility: hidden; hides the element, but it still occupies its space in the layout. In contrast, display: none; removes the element from the layout entirely.

---

Question 37: Which property is used to change the cursor type on hover?

1. cursor-type
2. hover
3. cursor
4. pointer-type

Answer: 3. cursor

Explanation: The cursor property in CSS is used to change the type of cursor when hovering over an element.

---

Question 38: What is the use of the :nth-child() pseudo-class in CSS?

1. To select elements based on their attributes
2. To target elements that are the nth child of their parent
3. To change styles every nth time an element appears
4. To select the first child of a specific type within its parent

Answer: 2. To target elements that are the nth child of their parent

Explanation: The :nth-child() pseudo-class in CSS is used to select elements based on their position within a group of siblings.

---

Question 39: What is the default position value in CSS?

1. absolute
2. fixed
3. relative
4. static

Answer: 4. static

Explanation: The default value for the position property in CSS is static, which means the element is positioned according to the normal flow of the document.

---

Question 40: How do you add a comment in a CSS file?

1. // This is a comment
2. /\* This is a comment \*/
3. <!-- This is a comment -->
4. # This is a comment

Answer: 2. /\* This is a comment \*/

Question 41: Which property is used to create space around elements, outside of any defined borders?

1. padding
2. margin
3. border
4. spacing

Answer: 2. margin

Explanation: The margin property in CSS is used to create space around elements, outside of any defined borders. It's part of the box model, which also includes padding, border, and the content itself.

---

Question 42: What does the flex property do in a CSS Flexbox layout?

1. It specifies the direction of the flexible items
2. It controls the alignment of items on the main axis
3. It specifies the length of the item relative to the rest
4. It defines a flexible container for flexible items

Answer: 3. It specifies the length of the item relative to the rest

Explanation: In a Flexbox layout, the flex property is a shorthand for the flex-grow, flex-shrink, and flex-basis properties. It specifies how much a flex item will grow relative to the rest of the flex items in the flex container.

---

Question 43: What is the purpose of the clear property in CSS?

1. To stop floating elements
2. To start floating elements
3. To clear the background
4. To clear margins

Answer: 1. To stop floating elements

Explanation: The clear property in CSS is used to control the behavior of floating elements. Elements after the cleared element will not float alongside the cleared element.

---

Question 44: Which CSS property controls text wrapping?

1. text-wrap
2. text-align
3. word-wrap
4. word-break

Answer: 3. word-wrap

Explanation: The word-wrap property in CSS allows long words to be broken and wrapped onto the next line.

---

Question 45: How can you make a numbered list?

1. list-style-type: decimal;
2. list-style-type: number;
3. list-style-type: numeric;
4. list-style-type: list-number;

Answer: 1. list-style-type: decimal;

Explanation: To create a numbered list in CSS, you use the list-style-type property with the value decimal.

---

Question 46: Which CSS property is used to move the content away from the borders?

1. margin
2. border
3. padding
4. spacing

Answer: 3. padding

Explanation: The padding property in CSS is used to create space around content, inside of any defined borders.

---

Question 47: What is the default display value for most elements?

1. inline
2. block
3. flex
4. grid

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

Answer: 2. block

Explanation: Most HTML elements are displayed as block by default, which means they start on a new line and take up the full width.

---

Question 48: What does the :after pseudo-element do?

1. Inserts content before an element
2. Inserts content after an element
3. Removes content after an element
4. Changes content after an element

Answer: 2. Inserts content after an element

Explanation: The :after pseudo-element in CSS is used to insert content after the content of an element.

---

Question 49: How do you select every <p> element whose parent is not a <div>?

1. p:not(div)
2. not(div > p)
3. p:not(div > p)
4. p:not(:parent div)

Answer: 3. p:not(div > p)

Explanation: The p:not(div > p) selector is used to select every <p> element that is not a child of a <div> element.

---

Question 50: Which property changes the style of the bottom border?

1. border-bottom-style
2. border-bottom
3. border-style-bottom
4. bottom-border

Answer: 1. border-bottom-style

Explanation: The border-bottom-style property is used to set the style of an element's bottom border.

Question 51: What does the CSS property position: absolute; do?

1. Makes the element positioned relative to its normal position in the document
2. Removes the element from the document flow and positions it relative to its nearest positioned ancestor
3. Aligns the element in the center of the page
4. Makes the element invisible

Answer: 2. Removes the element from the document flow and positions it relative to its nearest positioned ancestor

Explanation: When you set position: absolute; in CSS, the element is removed from the normal document flow and positioned relative to its nearest ancestor with a specified position (relative, absolute, or fixed).

---

Question 52: How do you change the color of an element on mouse hover using CSS?

1. :hover { color: newColor; }
2. :hover-color { newColor; }
3. hover: { color: newColor; }
4. hover-color: { newColor; }

Answer: 1. :hover { color: newColor; }

Explanation: You can change the color of an element on mouse hover by using the :hover pseudo-class in CSS.

Code Sample:

```
a:hover {  
  color: blue;  
}
```

---

Question 53: What is the CSS property used to create a drop shadow effect?

1. text-shadow
2. box-shadow
3. shadow-effect
4. drop-shadow

Answer: 2. box-shadow

Explanation: The box-shadow property in CSS is used to create a drop shadow effect for elements.

Code Sample:

```
div {  
  box-shadow: 5px 5px 5px grey;  
}
```

---

Question 54: Which CSS property is used to control the space between letters in text?

1. word-spacing
2. line-height
3. letter-spacing
4. text-spacing

Answer: 3. letter-spacing

Explanation: The letter-spacing property in CSS is used to control the space between letters in text.

Code Sample:

```
p {  
  letter-spacing: 2px;  
}
```

---

Question 55: What is the CSS property for changing the order of flex items in a flex container?

1. order
2. flex-order
3. item-order
4. flex-item-order

Answer: 1. order

Explanation: The order property in CSS is used to change the order of flex items in a flex container.

Code Sample:

```
.flex-item {  
  order: 2; /* Changes the order to 2 */  
}
```

---

Question 56: How do you center align text horizontally within an element?

1. text-align: center;
2. horizontal-align: center;
3. center-text: horizontal;
4. align-text: center;

Answer: 1. text-align: center;

Explanation: To center-align text horizontally within an element, you can use the text-align: center; CSS property.

Code Sample:

```
div {  
  text-align: center;  
}
```



---

Question 57: Which CSS property is used to add a border to an element?

1. border-width
2. border-style
3. border-color
4. border

Answer: 4. border

Explanation: The border property in CSS is a shorthand property for setting the width, style, and color of an element's border.

Code Sample:

```
div {  
  border: 2px solid red;  
}
```

---

Question 58: How do you make an element's font italic?

1. font-italic: true;
2. font-style: italic;
3. italic: font;
4. font-weight: italic;

Answer: 2. font-style: italic;

Explanation: The font-style: italic; CSS property is used to make an element's font italic.

Code Sample:

```
p {  
  font-style: italic;  
}
```

Question 59: Which CSS property is used to create rounded corners with a specific radius?

1. border-radius
2. corner-radius
3. rounded-corners
4. corner-style

Answer: 1. border-radius

Explanation: The border-radius property in CSS is used to create rounded corners for elements.

Code Sample:

```
div {  
  border-radius: 10px;  
}
```

---

Question 60: How do you make text bold using CSS?

1. text-weight: bold;
2. font-style: bold;
3. font-weight: bold;
4. text-style: bold;

Answer: 3. font-weight: bold;

Explanation: The font-weight: bold; CSS property is used to make text bold.

Code Sample:

```
p {  
  font-weight: bold;  
}
```

Question 61: Which CSS property is used to specify the amount of space between lines of text in an element?

1. line-spacing
2. spacing-line
3. line-height
4. text-spacing

Answer: 3. line-height

Explanation: The line-height property in CSS is used to specify the amount of space between lines of text within an element.

Code Sample:

```
p {  
  line-height: 1.5;  
}
```

---

Question 62: How can you apply CSS styles to the first letter of a text element?

1. initial-letter
2. first-letter
3. letter-first
4. start-letter

Answer: 2. first-letter

Explanation: To apply CSS styles to the first letter of a text element, you can use the ::first-letter pseudo-element.

Code Sample:

```
p::first-letter {  
  font-size: larger;  
  font-weight: bold;  
}
```

---

Question 63: What does the CSS property text-transform: uppercase; do?

1. Transforms all text to uppercase letters
2. Transforms the first letter of each word to uppercase
3. Transforms all text to lowercase letters
4. Transforms the last letter of each word to uppercase

Answer: 1. Transforms all text to uppercase letters

Explanation: The text-transform: uppercase; property in CSS transforms all text within an element to uppercase letters.

Code Sample:

```
p {  
  text-transform: uppercase;  
}
```

---

Question 64: What is the purpose of the rgba() color format in CSS?

1. It specifies the opacity of a color
2. It specifies a color in hexadecimal format
3. It represents a gradient color
4. It defines a color using HSL values

Answer: 1. It specifies the opacity of a color

Explanation: The rgba() color format in CSS allows you to specify a color with an additional alpha channel, representing opacity.

Code Sample:

```
div {  
  background-color: rgba(255, 0, 0, 0.5); /* Semi-transparent red */  
}
```

---

Question 65: Which CSS property is used to control the width of an element's border?

1. border-width
2. border-style
3. border-color
4. border-size

Answer: 1. border-width

Explanation: The border-width property in CSS is used to control the width of an element's border.

Code Sample:

```
div {  
  border-width: 2px;  
}
```

---

Question 66: What is the CSS property used to change the background color of an element on mouse hover?

1. background-color-hover
2. hover-background-color
3. background-hover
4. :hover

Answer: 4. :hover

Explanation: You can use the :hover pseudo-class to change the background color of an element on mouse hover.

Code Sample:

```
button:hover {  
  background-color: blue;  
}
```

Question 67: Which CSS property is used to specify the type of list item marker (e.g., disc, square, or numeric)?

1. list-type
2. marker-style
3. list-marker
4. list-style-type

Answer: 4. list-style-type

Explanation: The list-style-type property in CSS is used to specify the type of list item marker, such as disc, square, or numeric.

Code Sample:

```
ul {  
  list-style-type: square;  
}
```

---

Question 68: What is the purpose of the CSS overflow-x property?

1. It controls the overflow of content in the horizontal direction
2. It controls the overflow of content in the vertical direction
3. It sets the text overflow style
4. It creates a shadow effect on the horizontal axis

Answer: 1. It controls the overflow of content in the horizontal direction

Explanation: The overflow-x property in CSS is used to control the overflow behavior of content in the horizontal direction.

Code Sample:

```
div {  
  overflow-x: scroll;  
}
```

Question 69: How do you select all even rows of a table using CSS?

1. `tr:nth-child(even)`
2. `table:even-row`
3. `td:nth-child(even)`
4. `tbody:nth-child(even)`

Answer: 1. `tr:nth-child(even)`

Explanation: You can use the `tr:nth-child(even)` selector to select all even rows of a table.

Code Sample:

```
table tr:nth-child(even) {  
  background-color: lightgrey;  
}
```

---

Question 70: What is the purpose of the CSS property `text-decoration: underline;`?

1. It adds a shadow effect to text
2. It removes the underline from text
3. It adds an underline to text
4. It italicizes the text

Answer: 3. It adds an underline to text

Explanation: The `text-decoration: underline;` property in CSS is used to add an underline to text.

Code Sample:

```
a {  
  text-decoration: underline;  
}
```

Question 71: What is the CSS property used to change the color of visited links?

1. `a:visited-color`

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

2. visited-link-color
3. link-visited-color
4. color: visited;

Answer: None of the options.

Explanation: The CSS property used to change the color of visited links is `a:visited`, and it's typically used with the `color` property to set the color of visited links.

Code Sample:

```
a:visited {  
  color: purple;  
}
```

---

Question 72: How can you apply CSS styles to every second element of a specific type?

1. `type:nth-child(2n)`
2. `nth-child(even)`
3. `type:nth-child(even)`
4. `:nth-child(2n)`

Answer: 4. `:nth-child(2n)`

Explanation: You can use the `:nth-child(2n)` selector to apply styles to every second element of a specific type.

Code Sample:

```
p:nth-child(2n) {  
  font-weight: bold;  
}
```



Question 73: Which CSS property is used to control the order of columns in a CSS Grid layout?

1. column-order
2. grid-column
3. order
4. grid-template-columns

Answer: 3. order

Explanation: The order property in CSS Grid layout is used to control the order of grid items within the same container.

Code Sample:

```
.item {  
  order: 2; /* Changes the order of this grid item */  
}
```

---

Question 74: What does the display: flex; property do in CSS?

1. Makes an element a block-level element
2. Creates a flexible container for its child elements
3. Changes the font style to flex
4. Aligns text vertically in the center

Answer: 2. Creates a flexible container for its child elements

Explanation: The display: flex; property in CSS is used to create a flexible container for its child elements, turning them into flex items.

Code Sample:

```
.container {  
  display: flex;  
}
```

Question 75: How do you select the first-child of a specific element type within its parent?

1. type:first-child
2. :first-child-type
3. type:nth-child(1)
4. type:first-of-type

Answer: 1. type:first-child

Explanation: To select the first child of a specific element type within its parent, you can use the type:first-child selector.

Code Sample:

```
p:first-child {  
  font-weight: bold;  
}
```

---

Question 76: What is the purpose of the CSS property text-align: justify;?

1. It centers the text horizontally within an element
2. It adds space between lines of text
3. It justifies the text, creating even left and right margins
4. It aligns text vertically in the center

Answer: 3. It justifies the text, creating even left and right margins

Explanation: The text-align: justify; property in CSS is used to justify the text within an element, creating even left and right margins.

Code Sample:

```
p {  
  text-align: justify;  
}
```

Question 77: What does the background-repeat property in CSS control?

1. It controls the background color of an element
2. It controls the background image's size
3. It controls the repetition of a background image
4. It changes the font style of text

Answer: 3. It controls the repetition of a background image

Explanation: The background-repeat property in CSS controls how a background image is repeated or displayed.

Code Sample:

```
body {  
  background-image: url('background.jpg');  
  background-repeat: repeat-x;  
}
```

---

Question 78: Which CSS property is used to control the space between columns in a CSS Grid layout?

1. grid-gap
2. column-gap
3. grid-column-gap
4. grid-column-space

Answer: 1. grid-gap

Explanation: The grid-gap property in CSS Grid layout is used to control the space between columns and rows.

Code Sample:

```
.grid-container {  
  grid-gap: 10px;  
}
```

---

Question 79: What is the CSS property used to control the order of items in a Flexbox layout?

1. flex-order
2. order
3. item-order
4. flex-item-order

Answer: 2. order

Explanation: In a Flexbox layout, the order property is used to control the order of flex items within the flex container.

Code Sample:

```
.flex-item {  
  order: 3; /* Changes the order of this flex item */  
}
```

---

Question 80: How can you create a CSS class that applies styles to elements with a specific attribute?

1. .attribute[specific]
2. .class[attribute]
3. [attribute].class
4. [attribute="specific"]

Answer: 4. [attribute="specific"]

Explanation: To create a CSS class that applies styles to elements with a specific attribute value, you can use [attribute="specific"] selector.

Code Sample:

```
[data-type="button"] {  
  background-color: blue;
```

```
}
```

Question 81: What does the CSS property flex-direction control in a Flexbox layout?

1. It controls the width of flex items
2. It defines the direction of the main axis
3. It sets the background color of flex items
4. It adjusts the font size of flex items

Answer: 2. It defines the direction of the main axis

Explanation: The flex-direction property in a Flexbox layout controls the direction of the main axis, which affects how flex items are laid out within the container.

Code Sample:

```
.container {  
  flex-direction: column; /* Sets the main axis to be vertical */  
}
```

---

Question 82: What is the purpose of the CSS property white-space: nowrap;?

1. It sets the text color to white
2. It prevents text from wrapping to the next line
3. It removes all white spaces from text
4. It aligns text vertically in the center

Answer: 2. It prevents text from wrapping to the next line

Explanation: The white-space: nowrap; property in CSS prevents text from wrapping to the next line, making it stay on a single line.

Code Sample:

```
p {  
  white-space: nowrap;
```

```
}
```

---

Question 83: How do you apply CSS styles to an element when a user hovers over its parent element?

1. :parent:hover
2. parent:hover > child
3. parent:hover + child
4. parent:hover child

Answer: 4. parent:hover child

Explanation: To apply CSS styles to an element when a user hovers over its parent element, you can use the parent:hover child selector.

Code Sample:

```
.container:hover .element {  
  background-color: yellow;  
}
```

---

Question 84: Which CSS property is used to control the spacing between individual characters in text?

1. character-spacing
2. letter-spacing
3. text-spacing
4. word-spacing

Answer: 2. letter-spacing

Explanation: The letter-spacing property in CSS is used to control the spacing between individual characters in text.

Code Sample:

```
p {  
  letter-spacing: 2px;  
}
```

---

Question 85: What is the CSS property used to control the alignment of text within an element vertically?

1. vertical-align
2. text-align
3. line-height
4. align-items

Answer: 1. vertical-align

Explanation: The vertical-align property in CSS is used to control the vertical alignment of text or inline elements within their containing element.

Code Sample:

```
span {  
  vertical-align: middle;  
}
```

---

Question 86: How do you select the last-child of a specific element type within its parent?

1. type:last-child
2. :last-child-type
3. type:last-of-type
4. last-child[type]

Answer: 3. type:last-of-type

Explanation: To select the last child of a specific element type within its parent, you can use the type:last-of-type selector.

Code Sample:

```
p:last-of-type {  
  font-weight: bold;  
}
```

---

Question 87: What does the CSS property `cursor: pointer;` do?

1. It changes the font style of text
2. It specifies the pointer style when hovering over an element
3. It adds a shadow effect to text
4. It sets the text color to a pointer

Answer: 2. It specifies the pointer style when hovering over an element

Explanation: The `cursor: pointer;` property in CSS specifies the type of cursor to be displayed when hovering over an element, typically indicating a clickable or interactive element.

Code Sample:

```
button {  
  cursor: pointer;  
}
```

---

Question 88: What is the purpose of the CSS property `text-overflow: ellipsis;`?

1. It controls the text color
2. It adds a shadow effect to text
3. It displays an ellipsis (...) when text overflows its container
4. It changes the font style of text

Answer: 3. It displays an ellipsis (...) when text overflows its container

Explanation: The `text-overflow: ellipsis;` property in CSS displays an ellipsis (...) when text overflows its container, indicating that there is more text than currently visible.



Code Sample:

```
div {  
  white-space: nowrap;  
  overflow: hidden;  
  text-overflow: ellipsis;  
}
```

---

Question 89: Which CSS property is used to specify the style of an element's border?

1. border-width
2. border-color
3. border-style
4. border-decoration

Answer: 3. border-style

Explanation: The border-style property in CSS is used to specify the style of an element's border, such as solid, dashed, or dotted.

Code Sample:

```
div {  
  border-style: dashed;  
}
```

---

Question 90: What does the CSS property font-family control?

1. It controls the font size
2. It controls the font weight
3. It specifies the font family or typeface to be used for text
4. It sets the text color

Answer: 3. It specifies the font family or typeface to be used for text

Explanation: The font-family property in CSS is used to specify the font family or typeface to be used for text.

Code Sample:

```
p {  
  font-family: "Arial", sans-serif;  
}
```

Question 91: What is the CSS property used to control the transparency of an element?

1. opacity
2. transparency
3. visibility
4. alpha

Answer: 1. opacity

Explanation: The opacity property in CSS is used to control the transparency or opacity of an element.

Code Sample:

```
div {  
  opacity: 0.5; /* Makes the element semi-transparent */  
}
```

---

Question 92: How can you select all elements with a specific class in CSS?

1. .class
2. #class
3. \*class
4. class\*

Answer: 1. .class

Explanation: To select all elements with a specific class in CSS, you can use the .class selector.

Code Sample:

```
.my-class {  
  color: red;  
}
```

---

Question 93: What is the purpose of the CSS property box-sizing: border-box;?

1. It adds a border to the element's box
2. It adjusts the width of an element to include padding and border
3. It sets the box's content to be transparent
4. It centers the element horizontally and vertically

Answer: 2. It adjusts the width of an element to include padding and border

Explanation: The box-sizing: border-box; property in CSS adjusts the width of an element to include its padding and border, ensuring that the content box remains a specified width.

Code Sample:

```
div {  
  box-sizing: border-box;  
}
```

---

Question 94: How do you select all links within a specific section of a web page using CSS?

1. section a
2. section > a
3. section + a
4. section ~ a

Answer: 2. section > a

Explanation: To select all links within a specific section of a web page using CSS, you can use the section > a selector, which selects direct child a elements of the section.

Code Sample:

```
section > a {  
  color: blue;  
}
```

---

Question 95: What is the CSS property used to create a shadow behind an element's border?

1. box-shadow
2. border-shadow
3. element-shadow
4. shadow-box

Answer: 1. box-shadow

Explanation: The box-shadow property in CSS is used to create a shadow behind an element's border.

Code Sample:

```
div {  
  box-shadow: 5px 5px 5px grey;  
}
```

---

Question 96: How do you select the last element of a specific type within its parent using CSS?

1. type:last
2. :last-type

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

3. type:last-of-type
4. last-type[type]

Answer: 3. type:last-of-type

Explanation: To select the last element of a specific type within its parent using CSS, you can use the type:last-of-type selector.

Code Sample:

```
p:last-of-type {  
  font-weight: bold;  
}
```

---

Question 97: Which CSS property is used to create a rotating animation?

1. animation-rotate
2. transform-rotate
3. rotate-animation
4. animation

Answer: 4. animation

Explanation: The animation property in CSS is used to create various animations, including rotating animations.

Code Sample:

```
@keyframes rotate {  
  from {  
    transform: rotate(0deg);  
  }  
  to {  
    transform: rotate(360deg);  
  }  
}  
  
div {
```

```
animation: rotate 2s linear infinite;
}
```

---

Question 98: What does the CSS property `text-decoration: line-through;` do?

1. It removes the text's underline
2. It adds a line through the text
3. It makes the text bold
4. It italicizes the text

Answer: 2. It adds a line through the text

Explanation: The `text-decoration: line-through;` property in CSS adds a line through the text, typically used to indicate strikethrough text.

Code Sample:

```
span {
  text-decoration: line-through;
}
```

---

Question 99: How can you select the first element of a specific type within its parent using CSS?

1. `type:first`
2. `:first-type`
3. `type:first-of-type`
4. `first-type[type]`

Answer: 3. `type:first-of-type`

Explanation: To select the first element of a specific type within its parent using CSS, you can use the `type:first-of-type` selector.

Code Sample:

```
p:first-of-type {
```

```
font-weight: bold;
}
```

---

Question 100: What is the CSS property used to control the spacing between lines of text?

1. line-spacing
2. spacing-line
3. line-height
4. text-spacing

Answer: 3. line-height

Explanation: The line-height property in CSS is used to control the spacing between lines of text within an element.

Code Sample:

```
p {
  line-height: 1.5;
}
```

Question 101: Which CSS property is used to control the visibility of an element?

1. display
2. visibility
3. opacity
4. hidden

Answer: 2. visibility

Explanation: The visibility property in CSS is used to control the visibility of an element. It can be set to values like visible and hidden.

Code Sample:

```
div {
  visibility: hidden; /* Hides the element */
}
```

---

Question 102: How do you select all elements that have a specific attribute in CSS?

1. [attribute]
2. .attribute
3. #attribute
4. element[attribute]

Answer: 1. [attribute]

Explanation: To select all elements that have a specific attribute in CSS, you can use the [attribute] selector.

Code Sample:

```
[data-custom] {  
  color: blue;  
}
```

---

Question 103: What does the CSS property transform: scale(1.5); do?

1. It rotates the element by 1.5 degrees
2. It scales the element to 1.5 times its size
3. It adds a shadow effect to the element
4. It changes the text color to blue

Answer: 2. It scales the element to 1.5 times its size

Explanation: The transform: scale(1.5); property in CSS scales (enlarges) the element to 1.5 times its original size.

Code Sample:

```
div {  
  transform: scale(1.5);  
}
```



---

Question 104: What is the purpose of the CSS property text-transform: capitalize;?

1. It transforms text to uppercase
2. It transforms text to lowercase
3. It capitalizes the first letter of each word
4. It italicizes the text

Answer: 3. It capitalizes the first letter of each word

Explanation: The text-transform: capitalize; property in CSS capitalizes the first letter of each word in the text.

Code Sample:

```
p {  
  text-transform: capitalize;  
}
```

---

Question 105: How can you select all odd rows of a table using CSS?

1. table:nth-child(odd)
2. tr:nth-child(even)
3. tr:nth-child(odd)
4. table:odd-row

Answer: 3. tr:nth-child(odd)

Explanation: To select all odd rows of a table using CSS, you can use the tr:nth-child(odd) selector.

Code Sample:

```
table tr:nth-child(odd) {  
  background-color: lightgrey;  
}
```

---

Question 106: What is the CSS property used to create a rotating animation in 3D?

1. rotate3d
2. transform-3d
3. animation-rotate3d
4. @keyframes rotate3d

Answer: 4. @keyframes rotate3d

Explanation: To create a rotating animation in 3D using CSS, you can define the animation using @keyframes with 3D transforms.

Code Sample:

```
@keyframes rotate3d {
  0% {
    transform: rotate3d(0, 0, 1, 0deg);
  }
  100% {
    transform: rotate3d(0, 0, 1, 360deg);
  }
}

div {
  animation: rotate3d 4s linear infinite;
}
```

---

Question 107: How can you apply CSS styles to elements with a specific attribute value?

1. [attribute=value]
2. [value=attribute]
3. [attribute~value]
4. [attribute^value]

Answer: 1. [attribute=value]

Explanation: To apply CSS styles to elements with a specific attribute value, you can use the [attribute=value] selector.

Code Sample:

```
[data-type="button"] {  
  background-color: blue;  
}
```

---

Question 108: Which CSS property is used to control the space between lines of text in a multi-line text element?

1. line-spacing
2. spacing-line
3. line-height
4. text-spacing

Answer: 3. line-height

Explanation: The line-height property in CSS is used to control the space between lines of text in a multi-line text element.

Code Sample:

```
p {  
  line-height: 1.5;  
}
```

---

Question 109: What is the purpose of the CSS property text-overflow: clip;?

1. It clips the text at the end of the element
2. It clips the text when it overflows its container
3. It removes all white spaces from text
4. It changes the font style of text

Answer: None of the options.

Explanation: There is no `text-overflow: clip;` property in CSS. The correct property for clipping text is `text-overflow: clip;`.

---

Question 110: How can you select all elements that are not of a specific type using CSS?

1. `:not(type)`
2. `element:not(type)`
3. `:not(type)`
4. `element:not(type)`

Answer: 1. `:not(type)`

Explanation: To select all elements that are not of a specific type using CSS, you can use the `:not(type)` selector.

Code Sample:

```
:not(p) {  
  font-style: italic;  
}
```

Question 111: What is the CSS property used to control the indentation of the first line of text within an element?

1. `line-indent`
2. `text-indent`
3. `first-line-indent`
4. `indent-first-line`

Answer: 2. `text-indent`

Explanation: The `text-indent` property in CSS is used to control the indentation of the first line of text within an element.

Code Sample:

```
p {  
  text-indent: 20px;  
}
```

---

Question 112: How do you select the last element of a specific class within its parent using CSS?

1. class:last-child
2. .class:last-of-type
3. .class:last-child
4. :last-of-type.class

Answer: 3. .class:last-child

Explanation: To select the last element of a specific class within its parent using CSS, you can use the .class:last-child selector.

Code Sample:

```
.my-class:last-child {  
  font-weight: bold;  
}
```

---

Question 113: What does the CSS property overflow: hidden; do?

1. It hides the element
2. It hides the content that overflows the element's box
3. It adds a shadow effect to the element
4. It changes the font size of text

Answer: 2. It hides the content that overflows the element's box

Explanation: The overflow: hidden; property in CSS hides the content that overflows the element's box, effectively clipping it.

Code Sample:

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

```
div {  
  overflow: hidden;  
}
```

---

Question 114: How can you select the first and last child elements of a specific type within their parent using CSS?

1. type:first-child, type:last-child
2. type:first-of-type, type:last-of-type
3. type:first, type:last
4. type:first-element, type:last-element

Answer: 2. type:first-of-type, type:last-of-type

Explanation: To select the first and last child elements of a specific type within their parent using CSS, you can use the type:first-of-type, type:last-of-type selector.

Code Sample:

```
p:first-of-type, p:last-of-type {  
  font-weight: bold;  
}
```

---

Question 115: Which CSS property is used to create a shadow effect behind an element?

1. box-shadow
2. element-shadow
3. shadow-effect
4. shadow-box

Answer: 1. box-shadow

Explanation: The box-shadow property in CSS is used to create a shadow effect behind an element.

Code Sample:

```
div {  
  box-shadow: 5px 5px 5px grey;  
}
```

---

Question 116: What is the CSS property used to control the space between columns in a multi-column layout?

1. column-spacing
2. spacing-column
3. column-gap
4. column-margin

Answer: 3. column-gap

Explanation: The column-gap property in CSS is used to control the space between columns in a multi-column layout.

Code Sample:

```
.container {  
  column-gap: 20px;  
}
```

---

Question 117: How can you select all even elements of a specific type within their parent using CSS?

1. type:nth-child(even)
2. type:nth-of-type(odd)
3. type:nth-child(2n)
4. type:nth-of-type(even)

Answer: 1. type:nth-child(even)

Explanation: To select all even elements of a specific type within their parent using CSS, you can use the `p:nth-child(even)` selector.

Code Sample:

```
p:nth-child(even) {  
  background-color: lightgrey;  
}
```

---

Question 118: What does the CSS property `outline: none;` do?

1. It adds an outline to the element
2. It removes the border of the element
3. It removes the outline of the element
4. It sets the text color to none

Answer: 3. It removes the outline of the element

Explanation: The `outline: none;` property in CSS removes the outline of the element, often used to remove the default focus outline.

Code Sample:

```
button {  
  outline: none;  
}
```

---

Question 119: Which CSS property is used to control the size of an element's border?

1. `border-width`
2. `border-size`
3. `border-dimension`
4. `border-length`

Answer: 1. `border-width`



Explanation: The border-width property in CSS is used to control the size of an element's border.

Code Sample:

```
div {  
  border-width: 2px;  
}
```

---

Question 120: What is the CSS property used to control the background image of an element?

1. background-image
2. image-background
3. element-image
4. image-element

Answer: 1. background-image

Explanation: The background-image property in CSS is used to control the background image of an element.

Code Sample:

```
div {  
  background-image: url('background.jpg');  
}
```

Question 121: What is the CSS property used to create a gradient background for an element?

1. background-gradient
2. gradient-background
3. background-image
4. background-linear-gradient

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

Answer: 4. background-linear-gradient

Explanation: The background-linear-gradient property in CSS is used to create a gradient background for an element.

Code Sample:

```
div {  
  background: linear-gradient(to bottom, #ff0000, #00ff00);  
}
```

---

Question 122: How can you select all elements that are descendants of a specific element using CSS?

1. element descendants
2. element > descendants
3. element descendants >
4. element descendants <

Answer: 2. element > descendants

Explanation: To select all elements that are descendants of a specific element using CSS, you can use the element > descendants selector.

Code Sample:

```
.container > p {  
  color: blue;  
}
```

---

Question 123: What is the purpose of the CSS property border-radius?

1. It controls the border color
2. It sets the border width
3. It defines the shape of the element's border corners
4. It adds a shadow effect to the border

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

Answer: 3. It defines the shape of the element's border corners

Explanation: The border-radius property in CSS is used to define the shape of the element's border corners, allowing for rounded corners.

Code Sample:

```
div {  
  border-radius: 10px;  
}
```

---

Question 124: How can you select elements with a specific class that are also children of a specific element using CSS?

1. `.class > element`
2. `element .class`
3. `element.class`
4. `element > .class`

Answer: 2. `element .class`

Explanation: To select elements with a specific class that are also children of a specific element using CSS, you can use the `element .class` selector.

Code Sample:

```
.container .element {  
  color: red;  
}
```

---

Question 125: What is the CSS property used to control the order of flexible items in a Flexbox layout?

1. `flex-direction`
2. `order`
3. `flex-order`

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

#### 4. item-order

Answer: 2. order

Explanation: The order property in CSS is used to control the order of flexible items in a Flexbox layout.

Code Sample:

```
.item {  
  order: 2; /* Sets the order to 2 */  
}
```

---

Question 126: How can you select the first child element of a specific type within its parent using CSS?

1. type:first-child
2. :first-child-type
3. type:first-of-type
4. first-child[type]

Answer: 1. type:first-child

Explanation: To select the first child element of a specific type within its parent using CSS, you can use the type:first-child selector.

Code Sample:

```
p:first-child {  
  font-weight: bold;  
}
```

---

Question 127: What is the purpose of the CSS property z-index?

1. It controls the element's font size
2. It sets the element's background color
3. It specifies the order in which elements are stacked along the z-axis

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

4. It adjusts the element's width

Answer: 3. It specifies the order in which elements are stacked along the z-axis

Explanation: The z-index property in CSS specifies the order in which elements are stacked along the z-axis, determining which element appears on top of others.

Code Sample:

```
div {  
  z-index: 2;  
}
```

---

Question 128: How can you select the last element with a specific class within its parent using CSS?

1. `.class:last-child`
2. `.class:last-of-type`
3. `.class:last`
4. `:last-of-type.class`

Answer: 2. `.class:last-of-type`

Explanation: To select the last element with a specific class within its parent using CSS, you can use the `.class:last-of-type` selector.

Code Sample:

```
.my-class:last-of-type {  
  font-weight: bold;  
}
```

Question 129: What is the CSS property used to control the alignment of an element horizontally within its container?

1. horizontal-align
2. align-horizontal
3. text-align
4. align-items

Answer: 3. text-align

Explanation: The text-align property in CSS is used to control the alignment of an element horizontally within its container, particularly for text content.

Code Sample:

```
div {  
  text-align: center; /* Centers the text horizontally */  
}
```

---

Question 130: What does the CSS property list-style: none; do?

1. It removes list items from the list
2. It sets the list's background color to none
3. It removes the list-style marker (bullet or number) from a list
4. It changes the font style of list items

Answer: 3. It removes the list-style marker (bullet or number) from a list

Explanation: The list-style: none; property in CSS removes the list-style marker (bullet or number) from a list.

Code Sample:

```
ul {  
  list-style: none;  
}
```

**Question 131: What is the purpose of the CSS property flex-wrap in a Flexbox layout?**

1. It wraps the text content of elements
2. It wraps the elements to the next row when they overflow their container
3. It adjusts the spacing between Flexbox items
4. It changes the font size of text

Answer: 2. It wraps the elements to the next row when they overflow their container

Explanation: The flex-wrap property in a Flexbox layout controls whether the elements wrap to the next row when they overflow their container.

Code Sample:

```
.container {  
  flex-wrap: wrap;  
}
```

---

Question 132: How do you select the first element with a specific class within its parent using CSS?

1. .class:first
2. .class:first-child
3. .class:first-of-type
4. :first-child.class

Answer: 2. .class:first-child

Explanation: To select the first element with a specific class within its parent using CSS, you can use the .class:first-child selector.

Code Sample:

```
.my-class:first-child {  
  font-weight: bold;
```

```
}
```

---

Question 133: What is the CSS property used to control the visibility of an element without affecting its layout?

1. display
2. visibility
3. opacity
4. hidden

Answer: 2. visibility

Explanation: The visibility property in CSS is used to control the visibility of an element without affecting its layout. It can be set to values like visible and hidden.

Code Sample:

```
div {  
  visibility: hidden; /* Hides the element without affecting layout */  
}
```

---

Question 134: How can you select all elements that have a specific attribute with a value starting with a certain string in CSS?

1. [attribute^="value"]
2. [value^="attribute"]
3. [attribute~="value"]
4. [attribute="value"]

Answer: 1. [attribute^="value"]

Explanation: To select all elements that have a specific attribute with a value starting with a certain string in CSS, you can use the [attribute^="value"] selector.



Code Sample:

```
[data-prefix^="abc"] {  
  color: red;  
}
```

---

Question 135: What does the CSS property `transform: skew(30deg);` do?

1. It rotates the element by 30 degrees
2. It scales the element horizontally by 30 degrees
3. It skews the element horizontally by 30 degrees
4. It changes the text color to blue

Answer: 3. It skews the element horizontally by 30 degrees

Explanation: The `transform: skew(30deg);` property in CSS skews the element horizontally by 30 degrees.

Code Sample:

```
div {  
  transform: skew(30deg);  
}
```

---

Question 136: How do you select all even elements within a specific container using CSS?

1. `:even`
2. `even`
3. `container:even`
4. `container :even`

Answer: None of the options.

Explanation: There is no `:even` selector in CSS. To select even elements within a specific container, you would typically use JavaScript or other

methods, as CSS alone doesn't provide a direct way to select even elements.

---

Question 137: What is the CSS property used to control the alignment of an element vertically within its container?

1. vertical-align
2. align-vertical
3. align-items
4. text-align

Answer: 1. vertical-align

Explanation: The vertical-align property in CSS is used to control the alignment of an element vertically within its container.

Code Sample:

```
div {  
  vertical-align: middle; /* Vertically aligns the element */  
}
```

---

Question 138: How can you select all elements that are not of a specific class using CSS?

1. :not(.class)
2. element:not(.class)
3. :not.class
4. element:not.class

Answer: 1. :not(.class)

Explanation: To select all elements that are not of a specific class using CSS, you can use the :not(.class) selector.

Code Sample:

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

```
:not(.exclude) {  
  color: red;  
}
```

---

Question 139: Which CSS property is used to control the size of an element's box model, including padding and border?

1. box-size
2. box-model-size
3. box-sizing
4. box-dimension

Answer: 3. box-sizing

Explanation: The box-sizing property in CSS is used to control the size of an element's box model, including padding and border.

Code Sample:

```
div {  
  box-sizing: border-box;  
}
```

---

Question 140: What is the CSS property used to control the space between words in text?

1. word-spacing
2. text-spacing
3. letter-spacing
4. line-spacing

Answer: 1. word-spacing

Explanation: The word-spacing property in CSS is used to control the space between words in text.

Code Sample:

```
p {  
  word-spacing: 5px; /* Increases word spacing */  
}
```

Question 141: What is the purpose of the CSS property text-decoration: underline;?

1. It adds a border around the element
2. It underlines the text content of an element
3. It changes the text color to red
4. It italicizes the text

Answer: 2. It underlines the text content of an element

Explanation: The text-decoration: underline; property in CSS underlines the text content of an element.

Code Sample:

```
a {  
  text-decoration: underline;  
}
```

---

Question 142: How can you select the last element with a specific type within its parent using CSS?

1. type:last-child
2. :last-of-type(type)
3. :last-type(type)
4. :type(last-child)

Answer: 1. type:last-child

Explanation: To select the last element with a specific type within its parent using CSS, you can use the type:last-child selector.

Code Sample:

```
p:last-child {  
  font-weight: bold;  
}
```

---

Question 143: What does the CSS property `background-color: transparent;` do?

1. It sets the background color to white
2. It makes the background color fully transparent
3. It adds a shadow effect to the background
4. It changes the font style of text

Answer: 2. It makes the background color fully transparent

Explanation: The `background-color: transparent;` property in CSS makes the background color of an element fully transparent, allowing the content behind it to show through.

Code Sample:

```
div {  
  background-color: transparent; /* Makes the background fully transparent */  
}
```

---

Question 144: How can you select the first element of a specific type that comes after another element using CSS?

1. `element + type:first`
2. `element + type`
3. `type + element:first`
4. `type + element`

Answer: 2. `element + type`

Explanation: To select the first element of a specific type that comes after another element using CSS, you can use the element + type selector.

Code Sample:

```
p + div {  
  font-weight: bold;  
}
```

---

Question 145: What is the CSS property used to control the space between cells in a table?

1. table-cell-spacing
2. table-spacing
3. cell-spacing
4. border-spacing

Answer: 4. border-spacing

Explanation: The border-spacing property in CSS is used to control the space between cells in a table.

Code Sample:

```
table {  
  border-spacing: 10px;  
}
```

---

Question 146: How can you select all odd elements within a specific container using CSS?

1. :odd
2. odd
3. container:odd
4. container :odd

Learn more about JavaScript with Examples and Source Code Laurence Svekis  
Courses <https://basescripts.com/>

Answer: None of the options.

Explanation: There is no :odd selector in CSS. To select odd elements within a specific container, you would typically use JavaScript or other methods, as CSS alone doesn't provide a direct way to select odd elements.

---

Question 147: What is the purpose of the CSS property cursor: pointer;?

1. It changes the font size of text
2. It changes the text color to blue
3. It specifies the cursor type when hovering over an element
4. It adds a shadow effect to the element

Answer: 3. It specifies the cursor type when hovering over an element

Explanation: The cursor: pointer; property in CSS specifies the cursor type to be used when hovering over an element, typically indicating interactivity.

Code Sample:

```
button {  
  cursor: pointer; /* Changes cursor to a pointer hand */  
}
```

---

Question 148: How can you select the first and last elements within a specific container using CSS?

1. :first, :last
2. first, last
3. container:first, container:last
4. container :first, container :last

Answer: 1. :first, :last

Explanation: To select the first and last elements within a specific container using CSS, you can use the :first and :last selectors.

Code Sample:

```
.container :first, .container :last {  
  font-weight: bold;  
}
```

---

Question 149: What does the CSS property line-height control?

1. It controls the height of an element's border
2. It controls the space between lines of text in a multi-line text element
3. It sets the text color to red
4. It rotates the text by a specified angle

Answer: 2. It controls the space between lines of text in a multi-line text element

Explanation: The line-height property in CSS controls the space between lines of text in a multi-line text element.

Code Sample:

```
p {  
  line-height: 1.5; /* Adjusts line spacing */  
}
```

---

Question 150: Which CSS property is used to control the order of items in a Grid layout?

1. grid-order
2. order
3. grid-item-order
4. item-order

Answer: 2. order



Explanation: The order property in CSS is used to control the order of items in a Grid layout.

Code Sample:

```
.item {  
  order: 2; /* Sets the order of the Grid item */  
}
```

These questions continue to cover various CSS properties, selectors, and layout techniques, helping to deepen your understanding of CSS.