HTML
QUIZ 25
Test your Knowledge!

Questions HTML Quiz

What does HTML stand for?

A. Hyper Text Markup Language

B. Hyperlinks and Text Markup Language

C. Home Tool Markup Language

D. Hyper Tool Markup Language

Which HTML tag is used to define an internal style sheet?

A. <style>

B. <script>

C. <css>

D. <link>

What is the correct HTML element for inserting a line break?

A. <break>

B. <lb>

C.

D. <line>

Which HTML attribute specifies an alternate text for an image, if the image cannot be displayed?

A. title

B. src

C. alt

D. longdesc

Which doctype is correct for HTML5?

A. <!DOCTYPE HTML PUBLIC>

B. <!DOCTYPE html>

C. <!DOCTYPE HTML5>

D. <!HTML DOCTYPE>

Which HTML element is used for specifying a footer for a document or section?

A. <footer>

B. <bottom>

C. <section>

D. <end>

Which element is used to represent the importance of the content?

A. <important>

B. <b>

C. <strong>

D. <em>

What is the purpose of the <nav> element in HTML?

A. For creating numbered navigation

B. For creating a section for navigation links

C. For linking to external resources

D. For creating a searchable navigation

Which HTML element defines the title of a document?

A. <meta>

B. <title>

C. <head>

D. <header>

How can you make a numbered list in HTML?

A. <list type="number">

B.

C.

D. <dl>

Which HTML element is used to define emphasized text?

A. <i>

B. <em>

C. <bold>

D. <strong>

What does the <a> HTML tag represent?

A. Article

B. Anchor

C. Align

D. Audio

What is the correct HTML tag for the largest heading?

A. <h6>

B. <heading>

C. <head>

D. <h1>

Which tag is used to create a drop-down list in HTML?

A. <list>

B.

C. <dl>

D. <select>

Which HTML element is used to specify a header for a document or section?

A. <header>

B. <head>

C. <top>

D. <section>

In HTML, which attribute is used to specify that an input field must be filled out?

A. placeholder

B. required

C. validate

D. necessary

Which HTML element is used to display a scalar measurement within a known range?

A. <gauge>

B. <range>

C. <measure>

D. <meter>

What is the purpose of the <aside> element in HTML?

A. To define content aside from the page content

B. To create a sidebar for navigation

C. To insert advertisements

D. To highlight text

How can you make a bulleted list in HTML?

A.

B.

C. <list>

D. <dl>

Which HTML element is used to define a part of text in an alternate voice or mood?

A. <voice>

B. <mood>

C. <mark>

D. <cite>

In HTML5, which element is used to specify independent, self-contained content?

A. <article>

B. <section>

C. <details>

D. <summary>

Which element is used in HTML to group together related elements?

A. <group>

B. <div>

C. <block>

D. <pack>

Which HTML element is used to define important text?

A. <important>

B. <strong>

C. <b>

D. <em>

What is the correct HTML for inserting an image?

A. <img href="image.jpg" alt="MyImage">

B. <image src="image.jpg" alt="MyImage">

C. <img src="image.jpg" alt="MyImage">

D. <src img="image.jpg" alt="MyImage">

Which HTML tag is used to define a table heading?

A. <th>

B. <td>

C. <tr>

D. <table>

Correct Answers Table

Question Number	Correct Answer
1	A
2	A
3	C
4	C

5	B
6	A
7	C
8	B
9	B
10	B
11	B
12	B
13	D
14	D
15	A
16	B
17	D
18	A
19	B
20	D
21	A

22	B
23	B
24	C
25	A

Explanations for the Correct Answers

A: HTML stands for Hyper Text Markup Language, which is the standard markup language for documents designed to be displayed in a web browser.

A: The <style> tag is used to define style information (CSS) for a document.

C: <br> is the HTML tag used to insert a line break in text.

C: The alt attribute provides alternative information for an image if a user for some reason cannot view it (because of slow connection, an error in the src attribute, or if the user uses a screen reader).

B: <!DOCTYPE html> is the doctype declaration for HTML5, indicating that the document is HTML5.

A: The <footer> tag defines a footer for a document or section and typically contains authorship information, related documents, copyright, and contact information.

C: The <strong> tag is used to define text with strong importance and typically displays as bold by default.

B: The <nav> element defines a set of navigation links and is intended for sections that consist of major navigation blocks.

B: The <title> tag defines the title of the document, shown in a browser's title bar or on the page's tab.

B: <ol> creates an ordered list, which is a numbered list.

B: The <em> tag is used to define emphasized text, which typically displays as italicized text.

B: The <a> tag defines a hyperlink, used to link from one page to another, known as an anchor element.

D: <h1> is the HTML tag for the largest heading.

D: The <select> tag is used to create a drop-down list.

A: The <header> element represents a container for introductory content or a set of navigational links.

B: The required attribute specifies that an input field must be filled out before submitting the form.

D: The <meter> tag defines a scalar measurement within a range, such as disk usage.

A: The <aside> element defines content aside from the content it is placed in (like a sidebar).

B: <ul> is used to create an unordered (bulleted) list.

D: The <cite> tag defines the title of a creative work (e.g., a book, a poem, a song, a movie, a painting, a sculpture, etc.).

A: The <article> element specifies independent, self-contained content that could theoretically be distributed or reused.

B: The <div> tag is used to group block-level content and elements together for styling purposes or to apply certain attributes.

B: The <strong> element indicates that its contents have strong importance, seriousness, or urgency, and browsers typically display it in bold.

C: The correct syntax to insert an image in HTML is <img src="image.jpg" alt="MyImage">.

A: <th> is the HTML tag used to define a table heading